

Ver. 23/01

DISTRIBUTOR PRICE LIST INTERNATIONAL 2023

Valid from May 1st 2023

Prices are in Euro, exclusive VAT, per unit, packed, ex works and not insured

Prices and products are subject to changes

Changes to the last Price list

New Pricing

NEW! STEYR SSG SX Steyr Pistol A2 MF with coloured grip

Performance Kit for SSG M1 as an accessory Reset Action – discontinued STEYR HS .50 & STEYR HS .460 single loader - discontinued

NEW AUG Accessoires NEW suppressor for rimfire rifles



Content

STEYR MONOBLOC	5
MANNOX® SURFACE	6
THE 2+1 SAFETY SYSTEM	7
H.C.S.™ THE HAND COCKING SYSTEM OF THE STEYR MANNLICHER SM 12®	7
STEYR SAFE BOLT SYSTEM (SBS)	8
AN OVERVIEW OF ALL THE ADVANTAGES	9
STEYR ARMS LEAD FREE EDITION	10
NEW! STEYR BREEZER	11
TECHNICAL DATA STEYR BREEZER	12
STEYR MANNLICHER SM12®	13
CTEVE MANUFECTED COMES OF THE C	
STEYR MANNLICHER SM12® HALFSTOCK	14
STEYR MANNLICHER SM12® HALFSTOCK STAINLESS	15
STEYR MANNLICHER SM12® MOUNTAIN	16
STEYR MANNLICHER SM12® SEMI WEIGHT	17
STEYR MANNLICHER SM12® FULLSTOCK	18
STEYR MANNILICHER SM12® SX	19
STEYR MANNULICHER SM12® SX HALFSTOCK	20
STEYR MANNUTCHER SM12® SX HALFSTOCK STAINLESS	21
STEYR MANNLICHER SM12® SX MOUNTAIN STEYR MANNLICHER SM12® SX SEMI WEIGHT	22
STETR MANNEICHER SM12® SX SEMI WEIGHT	23
STEYR MANNLICHER SM12 LEFT HAND VERSIONS	24
	•
STEYR MANNLICHER CL II	26
STEYR MANNLICHER CL II HALFSTOCK	27
STEYR MANNLICHER CL II HALFSTOCK STAINLESS	28
STEYR MANNLICHER CL II MOUNTAIN	29
STEYR MANNLICHER CL II SEMI WEIGHT	30
STEYR MANNLICHER CL II FULLSTOCK	31
STEYR MANNLICHER CL II SX	32
STEYR MANNLICHER CL II SX HALFSTOCK	33
STEYR MANNLICHER CL II SX STAINLESS	34
STEYR MANNLICHER CL II SX MOUNTAIN	35
STEYR MANNLICHER CL II SX SEMI WEIGHT	36
STEYR MANNLICHER CL II LEFT HAND VERSIONS	37
STEYR CARBON FOR SM12 AND CL II MODELS	40
NEW! STEYR BREEZE	43
2	

MAGAZINES FOR SM 12® AND CL II	46
	EXTMARKE NICHT DEFINIERT.
MAGAZINES WITH SYNTHETIC BOTTOM (STANDARD)	46
HC-MAGAZINES FOR MANNLICHER SM 12® AND CL II	47
SCOPE MOUNTS FOR SM12® AND CL II	48
CUSTOM SHOP FOR STEYR MANNLICHER SM 12® AND CL II	49
ENGRAVINGS	51
CUSTOM SHOP STEYR MANNLICHER SM 12® AND CL II	52
NEW! STEYR PRO VARMINT	53
STEYR THB 6,5 CREEDMOOR	54
STEYR SCOUT	55
STEYR SCOUT	56
STEYR SCOUT SCOPE MOUNTS	57
STEYR SCOUT SCOPE MOUNTS STEYR SCOUT ACCESSORIES	57 57
STETR SCOUT ACCESSORIES	37
NEW CTEVE COO MA	-
NEW! STEYR SSG M1	<u>58</u>
STEYR SSG M1	59
ACCESSOIRES	60
EXCHANGEABLE BARRELS, MAGAZINES AND CONVERSION KITS	61
STEYR SSG 08	63
STEYR SSG 08 PRICE	64
STEYR SSG 08 CAMOUFLAGE	65
STEYR SSG 08 CAMOUFLAGE PRICE	65
STEYR SSG 08 STAINLESS	65
STEYR SSG 08 A1	66
0.2.11.000.007.2	
STEYR SSG 08 A1	66
51E1K 55G 08 A1	66
NTW 6TTVD 666 6V	
NEW! STEYR SSG SX	67
STEYR SSG 04 AND STEYR SSG 04 A1 - DISCONTINUED A	AS LONG AS STOCK
LASTS.	68
STEYR SSG 04 AND SSG 04 A1	69
ACCESSOIRES FOR STEYR SSG SERIES	70
STEYR ELITE	71
STEYR ELITE ACCESSORIES	73
JILIN LLIIL ACCESSUNILS	13

STEYR ARMS PRICE LIST 2023	#
STEYR HS .50 M1	74
SCOPE MOUNTS FOR ALL RIFLES WITH PICATINNY RAILS	75
NEW!! STEYR AUG SA Z	76
STEYR PISTOLS	85
STEYR PISTOLS SAFETY	86
NEW! STEYR PISTOL A2 MF SERIES	87
STEYR PISTOL L-A2 MF STEYR PISTOL M-A2 MF	88 89
STEYR PISTOL M-AZ MF STEYR PISTOL C-A2 MF	90
NEW! STEYR PISTOL A2 MF WITH COLOURED GRIP	91
STEYR PISTOL Accessoires	93
MAGAZINES	93
Conversion Kits A1 series	93
ACCESSORIES FOR STEYR PISTOLS	94
HOLSTERS	95
STEYR ZEPHYR II	97
SLINGS FOR STEYR RIFLES	99
STEYR KNIVES	100
CENEDAL TEDMS OF DELIVEDY AND DAVMENT OF STEVE ADMS CMRH	101



STEYR MONOBLOC

The new STEYR MONOBLOC sets new standards for innovative hunting rifles – you can find all details about the STEYR MONOBLOC in a separate price list.

RELIABILITY

An all-metal weapon for absolute robustness made accordingly to military standards

PRECISION

New "monobloc" construction, in which barrel and housing are hammer forged out of one piece of steel

ERGONOMICS

Top ergonomic stock with numerous, innovative options to adapt

SAFFTY

State of the art safety features such as hand cocking system, bolt lock and removable trigger unit



For the STEYR MONOBLOC there is a separate price list – please ask your sales manager for details.



MANNOX® surface

MANNOX® - the new innovative surface of STEYR MANNLICHER

In the course of permanent product improvement, STEYR ARMS has established a new innovative surface for all products during 2006. The new MANNOX surface combines a matt deluxe, black optic with outstanding functional preferences:

- 100% corrosion resistance!
 The new surface is absolutely non-sensitive against rain, humidity, sweat and game blood.
- Highest resistance against rubbing!
 The new surface avoids from abrasion or damaging of the outer metallparts in the daily use through f.e. clothes, backpack slings, etc.
- Minimum reflection!
 The matt deluxe, black surface avoids reflections of sun and moon rays. Thanks to that the rifle is not noticeable for the game.





The 2+1 Safety System



Safe Position

In this position the weapon can be loaded and unloaded. The trigger is locked, which prevents unintentionally firing.



Fire Position

Just before you intend to shoot, you roll the safety wheel noiseless forward the Fire Position.



Optional: Locking Position

A button on the safety wheel prevents the unwanted rolling of the safety wheel from the Locking from the Safe Position into Position into another position. Trigger and bolt are locked. Depressing the bolt into its lowest position additionally locks the fire pin, too. "Set Triggers" are automatically unlocked in this position.

All safety positions can be easily operated, ambidextrous, function noiseless, and are ergonomically positioned on top of the rifle's pistol grip.

H.C.S.™ the hand cocking system of the STEYR MANNLICHER **SM 12**®

The ergonomic and easy to operate hand cocking system (H.C.S.™) sets new standards for all hunting situations.



The weapon is in safe posistion. A set trigger is automatically unlocked



The weapon is ready to fire, the firing pin is cocked.



STEYR Safe Bolt System (SBS)

The SBS (Safe Bolt System) from STEYR ARMS.

The STEYR ARMS invention and patented SBS (Safe Bolt System) is said to be the safest rifle concept worldwide. The Shooter is always protected against outgoing gas and weapon blasts even in case of unexpected overpressure. This maximum of safety is based on the following:

Ice and residue grooves

Special grooves machined into the bolt guarantees the reliable operation of the rifle, even under extreme environmental conditions, such as mud or ice.

Firing pin


At the rear of the Bolt the firing pin indicates the cocked position – touchable and visible.

Bolt head

The front locking lugs of the SBS are extremely massive by design, which lock directly behind the cartridge caser into the receiver

Bolt Handle

The Bolt handle also locks into the receiver.



Safety Bushing

Only the patented SBS uses an additional safety bushing, which fully encases the lugs and extractor.

In essence, the shooter is fully protected against escaping, high pressure gases, in case an over pressure round is unintentionally fired. Therefor, the SBS effectively prevents the rupturing of the rifle's receiver

Left: Lock bushing without safety bushing Right: Lock bushing with safety bushing



An overview of all the advantages Enhanced Safety

- The magazine can be set to an additional lower position to assure that no round is fed when cycling the bolt.
- In locking position the set trigger is automatically decocked and cannot be reactivated until the safety is taken off again. The same happens wghen decocking the H.C.S.™
- In the locking position the firing pin can be blocked completely by depressing the bolt in the lowest position (only models with 2+1 stage safety)
- User friendly 2+1 safety. The bolt can only be removed and reinstalled when the safety is on.

Enhanced Reliability

- All safety related components of the lock bolt are arranged inside and protected against dirt and dust.
- Absolute reliability at temperatures ranging from +70°C to -40°C.
- The ice and residue groove on the bolt body also adds to its top functionality even under the most adverse conditions.
- The SBS front locking system enhances the reliability at high chamber pressures.
- The four point magazine catch design ensures perfect feeding at all times.

Enhanced Comfort

- The double-column magazine is easy to load.
- 70° locking angle only due to the dual lug twin row lockbolt design
- When the firing pin is secured the bolt handle rests closely at the stock and automatically flips back in position when safety is deactivated.
- The firing position allows rapid reloading to facilitate a fast follow-up shot if needed.



STEYR ARMS LEAD FREE EDITION



Following our tradition to innovate, STEYR ARMS takes the challenges of the future and presents with its lead free editions, the first rifles especially designed for today's standard lead free ammunition.

The new barrel profile with six lands and grooves is optimized for solids. The less flexible solids proceed much more evenely into the barrel due to the smaller diameter of the fields.

Lead free editions are available for the STEYR MANNLICHER SM12® and STEYR MANNLICHER CL II models, in .30-06 Spr. More calibers to come!

For faster recognition, the Laser engraving on the Receiver is green coloured and the serialnumbers start with LF.



Surcharge for the Lead Free Edition is EUR 200,- (Suggested Retail Price)



NEW! STEYR BREEZER

Steyr Arms introduces a new generation of silencers – the STEYR BREEZER.

The STEYR BREEZER is available in 2 different versions as a thread on silencer (STEYR BREEZER MSD) and as an overbarrel silencer (STEYR BREEZER OSD).



NEW! Coloured STEYR BREEZER for .30 calibers with M15x1 thread.



For the STEYR AUG we are happy to offer the STEYR UMS (Universial Military Suppressor) with a QD-mount for the STEYR AUG muzzle device.



STEYR UMS





Suppressor / Thread	Material Number	Suggested Retail Price in €
STEYR BREEZER MSD 30 1/2-20 UNF	SD-988503	375,
STEYR BREEZER MSD 30 HB 5/8-24 UNEF	SD-988504	375,
STEYR BREEZER OSD 30 M14X1	SD-988510	420,
STEYR BREEZER OSD HB M14X1	SD-988511	420,
STEYR BREEZER OSD 30 M15X1	SD-988512	420,
STEYR BREEZER OSD HB M15X1	SD-988513	420,
STEYR BREEZER OSD 30 M18X1	SD-988514	420,
STEYR BREEZER OSD 30 1/2-20 UNF	SD-988515	420,
STEYR BREEZER OSD 30 HB 5/8-24 UNEF	SD-988516	420,
STEYR BREEZER OSD 5.56 M14X1	SD-988518	420,
STEYR BREEZER OSD 5.56 M15x1	SD-988519	420,
STEYR BREEZER OSD 5.56 1/2-20 UNF	SD-988517	420,
STEYR BREEZER OSD 8mm-9,5mm M18X1	SD-988522	420,
NEU! STEYR BREEZER OSD 30 M15X1 GREEN	SD-988552	450,
NEU! STEYR BREEZER OSD 30 M15X1 ORANGE	SD-988553	450,
STEYR UMS 5.56	SD-988520	650,
Adapter M18x1 to M14x1 for OSD and MSD	1-HW-988523	25,
Adapter M18x1 to M15x1 for OSD and MSD	1-HW-988524	25,
Adapter M18x1 to 1/2-20 UNF for OSD and MSD	1-HW-988525	25,
Neopren cover for OSD (black)	1-HW-988527	25,
NEW! STEYR BREEZER XS 1/2-20 UNF	SD-988560	90,
NEW! STEYR BREEZER XS 1/8-24 UNEF	SD-988561	90,

TECHNICAL DATA STEYR BREEZER

STEYR BREEZER MSD:

Length: 207mm – added length to the weapon: 192mm

Width: 45mm Weight: 420g

Approx. sound suppression: 33 db (A)

STEYR BREEZER OSD:

Length: 228mm – added length to the weapon: 146mm

Width: 45mm Weight: 425g

Approx. sound suppression: 33 db (A)

Thread adapters are now available for gunsmiths. The thread adapter hast to be screwed in tight and fixed with Loctite 648 (or a similar heat resistant glue).

The Adapters are available from M18x1 to M14x1, M15x1 or ½-20 UNF.



STEYR MANNLICHER SM12®

The new STEYR MANNLICHER SM12® with it's ergonomic and easy to operate hand cocking system (H.C.S. $^{\text{TM}}$) sets new standards for all hunting situations. The new designed stock with Bavarian cheek-piece and elegant checkering gives this rifle a timless elegant look. Our O.B.P. $^{\text{TM}}$ (optimized barrel profile) with new barrel lengths and optimized barrel contour features accuracy and fits perfect in the stock and system.

All rifles without open sights are now factory threaded (M15x1, Semi Weight M18x1) as a standard and delivered with a Muzzle protection cap.

Technical Data	Halfstock	Mountain / Semi Weight / Fullstock
System	- MA	NNOX® -
Trigger	combi trigger	(single set trigger)
Stock	European walnut with Bavarian cheekpiece and double flames and fish scale pattern	
Magazine	box magazine	
Magazine Capacity	4 rounds (standard caliber) resp. 3 rounds (magnum caliber)	4 rounds
Barrel Length	558 mm (standard caliber) 635 mm (magnum caliber)	508mm
Overall Length	1115 mm (standard cal.) 1175 mm (magnum cal.)	1063mm
Weight	3300 g (standard cal.) 3600 g (magnum cal.)	Approx 3,2kg resp. 3,3kg (Fullstock) 3,5kg (Semi Weight)





STEYR MANNLICHER SM12® HALFSTOCK



STEYR MANNLICHER SM12® NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26286.000002A	3.035,
.308 Win.	66.26346.000002A	3.035,
.7mm-08 Rem.	66.26366.000002A	3.035,
7x64	66.26446.000002A	3.035,
.270 Win.	66.26466.000002A	3.035,
6,5x55SE	66.26486.000002A	3.035,
.30-06 Spr.	66.26506.000002A	3.035,
8x57JS	66.26546.000002A	3.035,
9,3x62	66.26606.000002A	3.035,
7mm Rem. Mag.	66.26756.000002A	3.335,
8x68S	66.26786.000002A	3.335,
.300 Win. Mag.	66.26836.000002A	3.335,
.300 WBY	66.26844.000002A	3.335,
.270 WSM	66.26906.000002A	3.335,
.300 WSM	66.26876.000002A	3.335,



STEYR MANNLICHER SM12® HALFSTOCK STAINLESS



STEYR MANNLICHER SM12® Stainless NO open sights (Threaded M15x1)

Caliber	Material Number without sights/M15x1	Suggested Retail Price in €
.243 Win.	66.28286.000002A	3.325,
.308 Win.	66.28346.000002A	3.325,
.7mm-08 Rem.	66.28366.000002A	3.325,
.270 Win.	66.28466.000002A	3.325,
6,5x55SE	66.28486.000002A	3.325,
.30-06 Spr.	66.28506.000002A	3.325,
7mm Rem. Mag.	66.28756.000002A	3.625,
.300 Win. Mag.	66.28836.000002A	3.625,
.270 WSM	66.28906.000002A	3.625,
.300 WSM	66.28876.000002A	3.625,





STEYR MANNLICHER SM12® MOUNTAIN



STEYR MANNLICHER SM12® Mountain NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.222 Rem	66.26126.000002A	3.101,
.223 Rem	66.26176.000002A	3.101,
.243 Win.	66.26296.000002A	3.101,
.308 Win.	66.26356.000002A	3.101,
.7mm-08 Rem.	66.26376.000002A	3.101,
7x64	66.26456.000002A	3.101,
.270 Win.	66.26476.000002A	3.101,
6,5x55SE	66.26496.000002A	3.101,
.30-06 Spr.	66.26516.000002A	3.101,
8x57JS	66.26556.000002A	3.101,
9,3x62	66.26611.000002A	3.101,



STEYR MANNLICHER SM12® SEMI WEIGHT

Fitted with a heavy, but short barrel and round bolt handle, the STEYR MANNLICHER SM 12® Semi Weight is the right choice for driven hunts and to impress at the shooting range.



STEYR MANNLICHER SM12® Semi Weight NO open sights (Threaded M18x1)

Caliber	Material Number no sights/M18x1	Suggested Retail Price in €
.308 Win.	66.36353.000102A	3.101,
.30-06 Spring.	66.36513.000102A	3.101,
8x57 JS	66.36553.000102A	3.101,
9,3x62	66.36613.000102A	3.101,





STEYR MANNLICHER SM12® FULLSTOCK

The SM 12® is now also available in an elegant Fullstock version with 508mm barrel.



STEYR MANNLICHER SM12® Fullstock

Caliber	Material Number	Suggested Retail Price in €
.222 Rem	66.26120.100005A	3.620,
.223 Rem	66.26170.100005A	3.620,
.243 Win.	66.26290.100005A	3.620,
.308 Win.	66.26350.100005A	3.620,
.7mm-08 Rem.	66.26370.100005A	3.620,
7x64	66.26450.100005A	3.620,
.270 Win.	66.26470.100005A	3.620,
6,5x55SE	66.26490.100005A	3.620,
.30-06 Spr.	66.26510.100005A	3.620,
8x57JS	66.26550.100005A	3.620,
9,3x62	66.26610.100005A	3.620,





STEYR MANNLICHER SM12® SX

The STEYR MANNLICHER SM 12® is now also available with an attractive synthetic stock

Where ergonomic design matches the highest durability. Polymer inlays guarantee a good grip even in bad conditions.

The aluminum bedded system, together with the latest synthetics, lead to a rifle with maximum stability. Optimized for the use with bipods.





STEYR MANNLICHER SM12® SX HALFSTOCK



STEYR MANNLICHER SM12® SX Halfstock NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.27286.000020A	2.365,
.308 Win.	66.27346.000020A	2.365,
.7mm-08 Rem.	66.27366.000020A	2.365,
7x64	66.27446.000020A	2.365,
.270 Win.	66.27466.000020A	2.365,
6,5x55SE	66.27486.000020A	2.365,
.30-06 Spr.	66.27506.000020A	2.365,
8x57JS	66.27546.000020A	2.365,
9,3x62	66.27606.000020A	2.365,
7mm Rem. Mag.	66.27756.000020A	2.665,
8x68S	66.27786.000020A	2.665,
.300 Win. Mag.	66.27836.000020A	2.665,
.300 WBY	66.27846.000020A	2.665,
.270 WSM	66.27906.000020A	2.665,
.300 WSM	66.27876.000020A	2.665,



STEYR ARMS PRICE LIST 2023 STEYR MANNLICHER SM12® SX HALFSTOCK STAINLESS



STEYR MANNLICHER SM12® SX Halfstock Stainless NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.29286.000020A	2.655,
.308 Win.	66.29346.000020A	2.655,
.7mm-08 Rem.	66.29366.000020A	2.655,
.270 Win.	66.29466.000020A	2.655,
6,5x55SE	66.29486.000020A	2.655,
.30-06 Spr.	66.29506.000020A	2.655,
7mm Rem. Mag.	66.29756.000020A	2.955,
.300 Win. Mag.	66.29836.000020A	2.955,
.270 WSM	66.29906.000020A	2.955,
.300 WSM	66.29876.000020A	2.955,





STEYR MANNLICHER SM12® SX MOUNTAIN



STEYR MANNLICHER SM12® SX Mountain NO open sights (Threaded M15x1)

Caliber Material Number no sights/M15x1		Suggested Retail Price in €
.222 Rem.	66.27126.000020A	2.431,
.223 Rem.	66.27176.000020A	2.431,
.243 Win.	66.27296.000020A	2.431,
.308 Win.	66.27356.000020A	2.431,
.7mm-08 Rem.	66.27376.000020A	2.431,
7x64	66.27456.000020A	2.431,
.270 Win.	66.27476.000020A	2.431,
6,5x55SE	66.27496.000020A	2.431,
.30-06 Spr.	66.27516.000020A	2.431,
8x57JS	66.27556.000020A	2.431,
9,3x62	66.27616.000020A	2.431,





STEYR MANNLICHER SM12® SX SEMI WEIGHT



STEYR MANNLICHER SM12® SX Semi Weight NO open sights (Threaded M18x1)

Caliber Material Number no sights/M18x1		Suggested Retail Price in €
.308 Win.	66.37353.000120A	2.431,
.30-06 Spring.	66.37513.000120A	2.431,
8x57 JS	66.37553.000120A	2.431,
9,3x62	66.37613.000120A	2.431,



STEYR MANNLICHER SM12 LEFT HAND VERSIONS

The STEYR MANNLICHER SM 12 is also available in a real left hand version in many varieties and calibers.

The exceptions are:

- 1) no .222 Rem., .223 Rem., .22-250 Rem., .300 WSM, .270 WSM., .375 H&H, .458 Win.Mag., .376 STEYR
- 2) no round or tactical bolt handle
- 3) no bolt lock for SM12
- 5) no stainless rifles
- 7) no SEMI WEIGHT
- 8) no STEYR CARBON
- 9) no STEYR BREEZE
- 10) no Fullstock

STEYR MANNLICHER SM 12 Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26286.000062L	3.035,
.308 Win.	66.26346.000062L	3.035,
.7mm-08 Rem.	66.26366.000062L	3.035,
7x64	66.26446.000062L	3.035,
.270 Win.	66.26466.000062L	3.035,
6,5x55SE	66.26486.000062L	3.035,
.30-06 Spr.	66.26506.000062L	3.035,
8x57JS	66.26546.000062L	3.035,
9,3x62	66.26606.000062L	3.035,
7mm Rem. Mag.	66.26756.000062L	3.335,
8x68S	66.26786.000062L	3.335,
.300 Win. Mag.	66.26836.000062L	3.335,
.300 WBY	66.26846.000062L	3.335,

STEYR MANNLICHER SM 12 Mountain Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26296.000062L	3.101,
.308 Win.	66.26356.000062L	3.101,
.7mm-08 Rem.	66.26376.000062L	3.101,
7x64	66.26456.000062L	3.101,
.270 Win.	66.26476.000062L	3.101,
6,5x55SE	66.26496.000062L	3.101,
.30-06 Spr.	66.26516.000062L	3.101,
8x57JS	66.26556.000062L	3.101,
9,3x62	66.26616.000062L	3.101,





STEYR MANNLICHER SM 12 SX Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.27286.000030L	2.365,
.308 Win.	66.27346.000030L	2.365,
.7mm-08 Rem.	66.27366.000030L	2.365,
7x64	66.27446.000030L	2.365,
.270 Win.	66.27466.000030L	2.365,
6,5x55SE	66.27486.000030L	2.365,
.30-06 Spr.	66.27506.000030L	2.365,
8x57JS	66.27546.000030L	2.365,
9,3x62	66.27606.000030L	2.365,
7mm Rem. Mag.	66.27756.000030L	2.665,
8x68S	66.27786.000030L	2.665,
.300 Win. Mag.	66.27836.000030L	2.665,
.300 WBY	66.27846.000030L	2.665,

STEYR MANNLICHER SM 12 Mountain SX Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €	
.243 Win.	66.27296.000030L	2.431,	
.308 Win.	66.27356.000030L	2.431,	
.7mm-08 Rem.	66.27376.000030L	2.431,	
7x64	66.27456.000030L	2.431,	
.270 Win.	66.27476.000030L	2.431,	
6,5x55SE	66.27496.000030L	2.431,	
.30-06 Spr.	66.27516.000030L	2.431,	
8x57JS	66.27556.000030L	2.431,	
9,3x62	66.27616.000030L	2.431,	



STEYR MANNLICHER CL II

The successor of the famous MANNLICHER CLASSIC: the STEYR MANNLICHER CL II.

The technical features including the patented SBS[™] (safe bolt system) coupled with the new, elegant and ergonomical optimized stock which gives it the highest comfort with a maximum on precision and reliability. This is the quality STEYR ARMS is well known for.

The stock with Bavarian cheek piece and double flame, elegant checkering is optimized for the use with scopes.

STEYR ARMS's O.B.P. $^{\text{TM}}$ (optimize barrel profile) guarantees highest precision thanks to its optimized contour and length and fits perfectly into the new designed stock.

The combination of the new barrel and slim housing design are giving the STEYR MANNLICHER CL II an elegant look.

All STEYR MANNLICHER CLII without open sights are factory threaded (M15x1, Semi Weight M18x1)

Technical Data	Halfstock	Mountain / Semi Weight / Fullstock	
System	- MA	NNOX® -	
Trigger	combi trigger	(single set trigger)	
Stock	European walnut with Bavarian cheekpiece and double flames and fish scale pattern		
Magazine	box magazine		
Magazine Capacity	4 rounds (standard caliber) resp. 3 rounds (magnum caliber)	4 rounds	
Barrel Length	558 mm (standard caliber) 635 mm (magnum caliber)	508mm	
Overall Length	1115 mm (standard cal.) 1175 mm (magnum cal.)	1063mm	
Weight	3300 g (standard cal.) 3600 g (magnum cal.)	Approx 3,2kg resp. 3,3kg (Fullstock) 3,5kg (Semi Weight)	





STEYR MANNLICHER CL II HALFSTOCK



STEYR MANNLICHER CL II NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no	Direct trigger Material number no	Suggested Retail Price
	sights/M15x1	sights/M15x1	in €
.22-250 Rem.	66.06066.021002A	66.06066.011002A	2.415,
.243 Win.	66.06286.021002A	66.06286.011002A	2.415,
.308 Win.	66.06346.021002A	66.06346.011002A	2.415,
7 mm-08 Rem.	66.06366.021002A	66.06366.011002A	2.415,
.270 Win.	66.06466.021002A	66.06466.011002A	2.415,
7x64	66.06446.021002A	66.06446.011002A	2.415,
.30-06 Spring.	66.06506.021002A	66.06506.011002A	2.415,
.25-06 Rem.	66.06566.021002A	66.06566.011002A	2.415,
6,5x55 SE	66.06486.021002A	66.06486.011002A	2.415,
8x57 JS	66.06546.021002A	66.06546.011002A	2.415,
9,3x62	66.06606.021002A	66.06606.011002A	2.415,
.300 Win. Mag.	66.06836.021002A	66.06836.011002A	2.715,
7 mm Rem. Mag.	66.06756.021002A	66.06756.011002A	2.715,
8x68 S	66.06786.021002A	66.06786.011002A	2.715,
270 Win. Short Mag	66.06906.021002A	66.06906.011002A	2.715,
300 Win. Short Mag	66.06876.021002A	66.06876.011002A	2.715,
.300 WBY	66.06846.021002A	66.06846.011002A	2.715,



STEYR MANNLICHER CL II HALFSTOCK STAINLESS



STEYR MANNLICHER CL II Stainless NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.08286.021002A	66.08286.011002A	2.705,
.308 Win.	66.08346.021002A	66.08346.011002A	2.705,
7 mm-08 Rem.	66.08366.021002A	66.08366.011002A	2.705,
.270 Win.	66.08466.021002A	66.08466.011002A	2.705,
.30-06 Spring.	66.08506.021002A	66.08506.011002A	2.705,
.25-06 Rem.	66.08566.021002A	66.08566.011002A	2.705,
6,5x55 SE	66.08486.021002A	66.08486.011002A	2.705,
.300 Win. Mag.	66.08836.021002A	66.08836.011002A	3.005,
7 mm Rem. Mag.	66.08756.021002A	66.08756.011002A	3.005,
270 Win. Short Mag	66.08906.021002A	66.08906.011002A	3.005,
300 Win. Short Mag	66.08876.021002A	66.08876.011002A	3.005,



STEYR MANNLICHER CL II MOUNTAIN



STEYR MANNLICHER CL II Mountain NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.222 Rem.	66.06126.021002A	66.06126.011002A	2.481,
.223 Rem.	66.06176.021002A	66.06176.011002A	2.481,
.243 Win.	66.06296.021002A	66.06296.011002A	2.481,
.308 Win.	66.06356.021002A	66.06356.011002A	2.481,
7 mm-08 Rem.	66.06376.021002A	66.06376.011002A	2.481,
.270 Win.	66.06476.021002A	66.06476.011002A	2.481,
7x64	66.06456.021002A	66.06456.011002A	2.481,
.30-06 Spring.	66.06516.021002A	66.06516.011002A	2.481,
.25-06 Rem.	66.06576.021002A	66.06576.011002A	2.481,
6,5x55 SE	66.06496.021002A	66.06496.011002A	2.481,
8x57 JS	66.06556.021002A	66.06556.011002A	2.481,
9,3x62	66.06616.021002A	66.06616.011002A	2.481,



STEYR MANNLICHER CL II SEMI WEIGHT

The new STEYR MANNLICHER Semi weight features a 508mm heavy barrel (approx. 20 mm diameter) and therefore is the ideal rifle for hunters who also like to use their rifle on the shooting range.



STEYR MANNLICHER CL II Semi Weight NO open sights (Threaded M18x1)

Caliber	Set trigger Material number no sights/M18x1	Direct trigger Material number no sights/M18x1	Suggested Retail Price in €
.308 Win.	66.16353.021102A	66.16353.011102A	2.481,
.30-06 Spring.	66.16513.021102A	66.16513.011102A	2.481,
8x57 JS	66.16553.021102A	66.16553.011102A	2.481,
9,3x62	66.16613.021102A	66.16613.011102A	2.481,





STEYR MANNLICHER CL II FULLSTOCK

The Fullstock version is now available on base of the STEYR MANNLICHER CL II.



Caliber	Set trigger Materialnumber	Direct trigger Materialnumber	Suggested Retail Price in €
222 Rem.	66.06120.121005A	66.06120.111005A	3.000,
.223 Rem.	66.06170.121005A	66.06170.111005A	3.000,
.243 Win.	66.06290.121005A	66.06290.111005A	3.000,
.308 Win.	66.06350.121005A	66.06350.111005A	3.000,
7 mm-08 Rem.	66.06370.121005A	66.06370.111005A	3.000,
.270 Win.	66.06470.121005A	66.06470.111005A	3.000,
7x64	66.06450.121005A	66.06450.111005A	3.000,
.30-06 Spring.	66.06510.121005A	66.06510.111005A	3.000,
.25-06 Rem.	66.06570.121005A	66.06570.111005A	3.000,
6,5x55 SE	66.06490.121005A	66.06490.111005A	3.000,
8x57 JS	66.06550.121005A	66.06550.111005A	3.000,
9,3x62	66.06610.121005A	66.06610.111005A	3.000,



STEYR MANNLICHER CL II SX

The STEYR MANNLICHER CL II is also available in the robust SX-stock with rubber inlays and prismatic aluminium bedding.

Where ergonomic design matches the highest durability. Polymer inlays guarantee a good grip even in bad conditions.

The aluminum bedded system, together with the latest synthetics, lead to a rifle with maximum stability. Optimized for the use with bipods.







STEYR MANNLICHER CL II SX HALFSTOCK



STEYR MANNLICHER CL SX NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.22-250 Rem.	66.07066.021020A	66.07066.011020A	1.745,
.243 Win.	66.07286.021020A	66.07286.011020A	1.745,
.308 Win.	66.07346.021020A	66.07346.011020A	1.745,
7 mm-08 Rem.	66.07366.021020A	66.07366.011020A	1.745,
.270 Win.	66.07466.021020A	66.07466.011020A	1.745,
7x64	66.07446.021020A	66.07446.011020A	1.745,
.30-06 Spring.	66.07506.021020A	66.07506.011020A	1.745,
.25-06 Rem.	66.07566.021020A	66.07566.011020A	1.745,
6,5x55 SE	66.07486.021020A	66.07486.011020A	1.745,
8x57JS	66.07546.021020A	66.07546.011020A	1.745,
9,3x62	66.07606.021020A	66.07606.011020A	1.745,
NEW! .376 STEYR	66.07206.021020A	66.07206.011020A	1.745,
.300 Win. Mag.	66.07836.021020A	66.07836.011020A	2.045,
7 mm Rem. Mag.	66.07756.021020A	66.07756.011020A	2.045,
8x68S	66.07786.021020A	66.07786.011020A	2.045,
.270 WSM	66.07906.021020A	66.07906.011020A	2.045,
.300 WSM	66.07876.021020A	66.07876.011020A	2.045,
.300 WBY	66.07846.021020A	66.07846.011020A	2.045,
NEW! .338 Win.Mag.	66.07946.011020A	NA	2.045,



STEYR MANNLICHER CL II SX STAINLESS



STEYR MANNLICHER CL SX Stainless NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.09286.021020A	66.09286.011020A	2.035,
.308 Win.	66.09346.021020A	66.09346.011020A	2.035,
7 mm-08 Rem.	66.09366.021020A	66.09366.011020A	2.035,
.270 Win.	66.09466.021020A	66.09466.011020A	2.035,
.30-06 Spring.	66.09506.021020A	66.09506.011020A	2.035,
.25-06 Rem.	66.09566.021020A	66.09566.011020A	2.035,
6,5x55 SE	66.09486.021020A	66.09486.011020A	2.035,
.300 Win. Mag.	66.09836.021020A	66.09836.011020A	2.335,
7 mm Rem. Mag.	66.09756.021020A	66.09756.011020A	2.335,
.270 WSM	66.09906.021020A	66.09906.011020A	2.335,
.300 WSM	66.09876.021020A	66.09876.011020A	2.335,



STEYR MANNLICHER CL II SX MOUNTAIN



STEYR MANNLICHER CL SX Mountain NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.222 Rem.	66.07126.021020A	66.07126.011020A	1.811,
.223 Rem.	66.07176.021020A	66.07176.011020A	1.811,
.243 Win.	66.07296.021020A	66.07296.011020A	1.811,
.308 Win.	66.07356.021020A	66.07356.011020A	1.811,
7 mm-08 Rem.	66.07376.021020A	66.07376.011020A	1.811,
.270 Win.	66.07476.021020A	66.07476.011020A	1.811,
7x64	66.07456.021020A	66.07456.011020A	1.811,
.30-06 Spring.	66.07516.021020A	66.07516.011020A	1.811,
.25-06 Rem.	66.07576.021020A	66.07576.011020A	1.811,
6,5x55 SE	66.07496.021020A	66.07496.011020A	1.811,
8x57 JS	66.07556.021020A	66.07556.011020A	1.811,
9,3x62	66.07616.021020A	66.07616.011020A	1.811,



STEYR MANNLICHER CL II SX SEMI WEIGHT



STEYR MANNLICHER CL SX Semi Weight NO open sights (Threaded M18x1)

Caliber	Set trigger Material number no sights/M18x1	Direct trigger Material number no sights/18x1	Suggested Retail Price in €
.308 Win.	66.17353.021120A	66.17353.011120A	1.811,
.30-06 Spring.	66.17513.021120A	66.17513.011120A	1.811,
8x57 JS	66.17553.021120A	66.17553.011120A	1.811,
9,3x62	66.17613.021120A	66.17613.011120A	1.811,



STEYR MANNLICHER CL II LEFT HAND VERSIONS

The STEYR MANNLICHER CL II is also available in a real left hand version in many varieties and calibers.

The exceptions are:

- 1) no .222 Rem., .223 Rem., .22-250 Rem., .300 WSM, .270 WSM., .375 H&H, .458 Win.Mag., .376 STEYR
- 2) no round or tactical bolt handle
- 3) no double set trigger
- 5) no Stainless rifles
- 7) no SEMI WEIGHT
- 8) no STEYR CARBON
- 9) no STEYR BREEZE
- 10) no Fullstock







STEYR MANNLICHER CL II Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.06286.021062L	66.06286.011062L	2.415,
.308 Win.	66.06346.021062L	66.06346.011062L	2.415,
7 mm-08 Rem.	66.06366.021062L	66.06366.011062L	2.415,
.270 Win.	66.06466.021062L	66.06466.011062L	2.415,
7x64	66.06446.021062L	66.06446.011062L	2.415,
.30-06 Spring.	66.06506.021062L	66.06506.011062L	2.415,
.25-06 Rem.	66.06566.021062L	66.06566.011062L	2.415,
6,5x55 SE	66.06486.021062L	66.06486.011062L	2.415,
8x57 JS	66.06546.021062L	66.06546.011062L	2.415,
9,3x62	66.06606.021062L	66.06606.011062L	2.415,
.300 Win. Mag.	66.06836.021062L	66.06836.011062L	2.715,
7 mm Rem. Mag.	66.06756.021062L	66.06756.011062L	2.715,
8x68 S	66.06786.021062L	66.06786.011062L	2.715,
.300 WBY	66.06846.021062L	66.06846.011062L	2.715,

STEYR MANNLICHER CL II Mountain Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.06296.021062L	66.06296.011062L	2.481,
.308 Win.	66.06356.021062L	66.06356.011062L	2.481,
7 mm-08 Rem.	66.06376.021062L	66.06376.011062L	2.481,
.270 Win.	66.06476.021062L	66.06476.011062L	2.481,
7x64	66.06456.021062L	66.06456.011062L	2.481,
.30-06 Spring.	66.06516.021062L	66.06516.011062L	2.481,
.25-06 Rem.	66.06576.021062L	66.06576.011062L	2.481,
6,5x55 SE	66.06496.021062L	66.06496.011062L	2.481,
8x57 JS	66.06556.021062L	66.06556.011062L	2.481,
9,3x62	66.06616.021062L	66.06616.011062L	2.481,





STEYR MANNLICHER CL II SX Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.07286.021030L	66.07286.011030L	1.745,
.308 Win.	66.07346.021030L	66.07346.011030L	1.745,
7 mm-08 Rem.	66.07366.021030L	66.07366.011030L	1.745,
.270 Win.	66.07466.021030L	66.07466.011030L	1.745,
7x64	66.07446.021030L	66.07446.011030L	1.745,
.30-06 Spring.	66.07506.021030L	66.07506.011030L	1.745,
.25-06 Rem.	66.07566.021030L	66.07566.011030L	1.745,
6,5x55 SE	66.07486.021030L	66.07486.011030L	1.745,
8x57JS	66.07546.021030L	66.07546.011030L	1.745,
9,3x62	66.07606.021030L	66.07606.011030L	1.745,
.300 Win. Mag.	66.07836.021030L	66.07836.011030L	2.045,
7 mm Rem. Mag.	66.07756.021030L	66.07756.011030L	2.045,
8x68S	66.07786.021030L	66.07786.011030L	2.045,
.300 WBY	66.07846.021030L	66.07846.011030L	2.045,
NEW! .338 Win.Mag.	NA	66.07946.011030L	2.045,

STEYR MANNLICHER CL II Mountain SX Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.07296.021030L	66.07296.011030L	1.811,
.308 Win.	66.07356.021030L	66.07356.011030L	1.811,
7 mm-08 Rem.	66.07376.021030L	66.07376.011030L	1.811,
.270 Win.	66.07476.021030L	66.07476.011030L	1.811,
7x64	66.07456.021030L	66.07456.011030L	1.811,
.30-06 Spring.	66.07516.021030L	66.07516.011030L	1.811,
.25-06 Rem.	66.07576.021030L	66.07576.011030L	1.811,
6,5x55 SE	66.07496.021030L	66.07496.011030L	1.811,
8x57 JS	66.07556.021030L	66.07556.011030L	1.811,
9,3x62	66.07616.021030L	66.07616.011030L	1.811,



STEYR CARBON for SM12 and CL II models



For various SM12 and CL II models we now offer a Carbon Fibre version – the STEYR CARBON. With its lightweight and robust new designed Carbon Fibre stock the new STEYR CARBON is a desireable rifle for the modern hunter aswell as for the demanding sport shooter.

All STEYR Carbon rifles are equipped with a special muzzle thread that allows mounting the new STEYR FlexSight.

Thread sizes:

- M15x1 for Standard and light barrels
- 5/28-24 UNEF for 6,5 Creemoor
- M18x1 for .338 Lap.Mag.

The STEYR CARBON is available in the following models and calibers:

- STEYR CARBON SM12 or CL II Halfstock in .308 Win., .270 Win., .30-06 Spr. and .300 Win.Mag.
- STEYR CARBON SM12 or CL II Light in 308 Win., .270 Win., .30-06 Spr
- STEYR CARBON SM12 or CL II Heavy barrel in 6,5 Creedmoor or .338 Lap.Mag.

The STEYR CARBON is delivered in a special gun bag, a STEYR CARBON Cap and Notebook.







STEYR CARBON SM12

Model	Caliber	Materialnumber	Suggested Retail Price in €
SM12 Standard	.308 Win.	66.26346.000040C	4.665,
SM12 Standard	.270 Win.	66.26466.000040C	4.665,
SM12 Standard	.30-06 Spr.	66.26506.000040C	4.665,
SM12 Standard	.300 Win.Mag.	66.26836.000040C	4.965,
SM12 Light	.308 Win.	66.30356.000040C	4.995,
SM12 Light	.270 Win.	66.30476.000040C	4.995,
SM12 Light	.30-06 Spr.	66.30516.000040C	4.995,
SM12 Heavy barrel	6,5 Creedmoor	66.36253.000140C	4.840,
SM12 Heavy barrel	.338 Lap.Mag.	66.26933.000140C	5.115,

STEYR CARBON CL II

Model	Caliber	Materialnumber	Suggested Retail Price in €
CL II Standard	.308 Win.	66.06346.021040C	4.045,
CL II Standard	.270 Win.	66.06466.021040C	4.045,
CL II Standard	.30-06 Spr.	66.06506.021040C	4.045,
CL II Standard	.300 Win.Mag.	66.06836.021040C	4.345,
CL II Light	.308 Win.	66.10356.021040C	4.375,
CL II Light	.270 Win.	66.10476.021040C	4.375,
CL II Light	.30-06 Spr.	66.10516.021040C	4.375,
CL II Heavy barrel	6,5 Creedmoor	66.16253.021140C	4.220,
CL II Heavy barrel	.338 Lap.Mag.	66.06933.021140C	4.495,





STEYR CARBON Accesoires

Accessories	Material Number	Suggested Retail Price in €
Picatinnyrail for forend	6600091600	105,
Flex MuzzleBrake M15x1 (normal barrel and light) up to caliber 8,2mm	6600010052	180,
Carbon stock as a spare part		2.300,
FlexSight for M18x1 (.338 Lap.Mag)	6600011555	215,
FlexSight for 5/28-24 UNEF (6,5 Creedmoor)	6600011552	215,
FlexSight for M15x1 (normal barrel and light)	6600011553	215,
Sling stud (M5x15)	7615060021	16,
Muzzle brake M18x1 for .338 Lap.Mag.	2600010022	337,
Counternut for muzzle brake for .338 Lap.Mag.	2600010011H	58,
Magazine .338 Lap.Mag. (3 rnds.)	6622050501	160,



Steyr FlexSight



Flex MuzzleBrake (can used on all Steyr rifles with threaded barrel)



NEW! STEYR BREEZE

The STEYR BREEZE is an integrated silencer rifle based on the CL II, SM12 and CL II Carbon and SM12 Carbon.

The STEYR BREEZE features a 407mm stainless barrel and an integrated Carbon fibre silencer. The weight of the STEYR BREEZE is approx.. 3,4kg and of the STEYR BREEZE Carbon 3,05kg. The overall length of the STEYR BREEZE is 1170mm and the BREEZE Carbon 1150mm.



Model	Caliber	Materialnumber	Suggested Retail Price in €
CL II	.308 Win.	66.06316.021082A	4.051,
CL II	6,5 Creedmoor	66.06246.021082A	4.051,
CL II Carbon	.308 Win.	66.06316.021040C	5.681,
CL II Carbon	6,5 Creedmoor	66.06246.021040C	5.681,
SM12	.308 Win.	66.26316.000082A	4.671,
SM12	6,5 Creedmoor	66.26246.000082A	4.671,
SM12 Carbon	.308 Win.	66.26316.000040C	6.301,
SM12 Carbon	6,5 Creedmoor	66.26246.000040C	6.301,
SD Breeze	already included in the rifle price	SD-988540	1.280,

Please order the suppressor separately – the price is already included in the weapon price.



Accessoires and Stocks for SM12®, CL II and MANNLICHER CLASSIC

Accessories	Material Number	Suggested Retail Price in €
SM12 and CLII Accessoires		
Surcharge SSG bolt handle		215,
Rear sight assembly metal .222 Rem., .223 Rem., .243 Win., .308 Win., .7 mm-08 Rem., .270 Win., 7x64, 30-06 Spring., 25-06 Rem., 6,5x55 SE, 6,5x57, 8x57 JS, 9,3x62	2400010010	80,
Rear Sight assembly metal .300 Win. Mag., 7 mm Rem. Mag., 6,5x68, 8x68	2400010017	80,
Halfstock		1.020,
SSG-Muzzlebrake (QD Silencer compatible) on a new rifle (if possible) for M18x1	incl. Counternut	395,
Factory threaded barrel (standard thread) on a new rifle		115,
Lead free Edition (.30-06 Spr., .300 Win.Mag.)		200,
MuzzleBrake M15x1 (normal barrel) up to caliber 8,2mm	6600010052	180,
MuzzleBrake M15x1 (normal barrel) caliber 8,2-9,6mm	6600010053	180,
NEW! Adjustable Cheekpiece Kalix CR1 - mounted on SX stock	1-HW-04200	156,
SM12 Accessoires		
Bolt lock (surcharge on a new rifle)		260,
Reset Action (surcharge o a new rifle)		700,
CL II Accessoires (and MANNLICHER CLASSIC)		
Set Trigger (6600030502-CLII, 2600030502-CLASSIC)		560,
Double Set Trigger (6600030504-CL II, 2600030504-CLASSIC)		810,
Surcharge Double Set Trigger on a new rifle		350,





Civilian muzzle brake





Stocks

Stocks	Material Number	Suggested Retail Price in €
SM12 and CLII		
Surcharge left hand stock		215,
Padding & Fitting of Stock		215,
Surcharge Halfstock L wood grade LUXUS stock only 1.320,	6602060402	300,
Surcharge Halfstock M wood grade LUXUS stock only 1.320,	6603060402	300,
Surcharge Halfstock S wood grade LUXUS stock only 1.320,	6604060402	300,
Surcharge Halfstock L wood grade SUPER LUXUS stock only 1.750,	6602060403	750,
Surcharge Halfstock M wood grade SUPER LUXUS stock only 1.750,	6603060403	750,
Surcharge Halfstock S wood grade SUPER LUXUS stock only 1.750,	6604060403	750,
Surcharge Halfstock L wood grade EXHIBITION stock only 2.420,	6602060404	1.400,
Surcharge Halfstock M wood grade EXHIBITION stock only 2.420,	6603060404	1.400,
Surcharge Halfstock S wood grade EXHIBITION stock only 2.420,	6604060404	1.400,
CARBON stock	L,M,XXL available	2.300,



MAGAZINES FOR SM 12® AND CL II

MAGAZINES WITH SYNTHETIC BOTTOM (STANDARD)

Caliber	Material number	Suggested Retail Price in €
.222 Rem.	2611050501	90,
.223 Rem.	2611050503	90,
.22-250 Rem.	2602050550	90,
.243 Win, 7mm-08 Rem., .308 Win. 6,5 Creedmoor, .260 Rem., .338 Federal	2607050601	90,
.25-06 Rem., .270 Win., .280 Rem., 7x64, .30-06 Spr.	2608050601	90,
6,5x55 SE, 6,5x57, 8x57 JS	2608050602	90,
9,3x62	2608050512	90,
6,5x68, 7mm Rem. Mag., .300 Win. Mag., 8x68, .300 Wthby. Mag.	2609050601	90,
.270 WSM, .300 WSM (for CLASSIC and PRO HUNTER)	2615050601	90,
.270 WSM, .300 WSM (for SM12 and CL II)	2615051520	90,
.375 H&H, .458 Win. Mag.	2622050520	90,





HC-MAGAZINES FOR MANNLICHER SM 12® AND CL II

The new HC-Magazines for the SM12 and CL II are available and can be used on all rifles without the need of any adapter. They can also be used on old CLASSIC and PRO HUNTER models

Caliber	Material number	Suggested Retail Price in €
HC Magazine for .243 Win, 7mm-08 Rem., .308 Win., 6,5 Creedmoor	6607050501	150,
HC Magazine for .25-06 Rem., .270 Win., .280 Rem., 7x64, .30-06 Spr., 6,5x55 SE, 8x57 JS	6608050501	150,
HC Magazine for 7mm Rem. Mag., .300 Win. Mag., 8x68, .300 Wthby. Mag.	6609050501	150,
HC Magazin for 9,3x62	6608050502	150,





SCOPE MOUNTS FOR SM12® AND CL II

STEYR ARMS mounts

STEYR Scope Mounts	Material Number	Suggested Retail Price in
STEYR swing mount rings tube diameter 1" MANNOX	6600070408	350,
STEYR swing mount rings tube diameter 30 mm	6600070410	350,
Flexmount Zeiss rail MANNOX	1-HW-2400-4500	350,
Flexmount for Weaver rail	2400-5000	385,
Flexmount for Swarovski rail	2400-6000	385,
Flexmount for S&B rail	2400-7000	385,
Base for original STEYR Swing mount MANNOX for STEYR SM12 and CL II (3mm higher then old ones)	6600070603	100,
NEW Original STEYR swing mount GEN II 40mm	6600071640	525,
NEW Original STEYR swing mount GEN II 30mm	6600071630	525,
NEW Original STEYR swing mount GEN II 1"	6600071625	525,
NEW Base for STEYR swing mount GEN II	6603071603	125,
Picatinny Rail L or S (+WSM for CL II and SM12)	2607070003H	130,
Picatinny Rail L or S 20MOA	2607070005	130,
Picatinny Rail SL, M (+WSM for Classic and PRO HUN	2607070004	130,
Screws for Picatinny Rail (6 Pieces à 1.50/pcs.)	3900419 (6x)	enthalten
Surcharge for a new rifle with Weaver Set	1-HW-260101	80,
Picatinny Base (2 pcs.) for SM12 or CL II	1-HW-260103	80,
Mounting and zeroing original STEYR swing mount	DL-0007	285,

Mounts aftermarket



Scope Mounts (other producers)	Material Number Glossy / Matt	Suggested Retail Price in €
Leupold rings high gloss finish for tube diameter 1 inch	1-HW-49900 / 1- HW-49901	85,
Leupold rings matt for tube diameter 30 mm	1-HW-49961 / 1- HW-49959	110,
Leupold rings high for tube diameter 30 mm high gloss finish	1-HW-49960 / 1- HW-49956	110,
Leupold mount base fix high gloss finish	1-HW-50029 / 1- HW-50030	55,
	1 104 50057	100
Leupold QR base	1-HW-50057	103,
Leupold QR rings tube diameter 1"	1-HW-49976	85,
Leupold QR rings tube diameter 30 mm	1-HW-49931	110,
MAKfix 30mm Height 12mm (for Picatinny)	1-HW-5270-3012	130,
MAKuick 30mm Height 14mm (for Picatinny)	1-HW-5263-3014	220,
MAKuick Swarovski Rail (for Picatinny)	1-HW-5263-6008	220,
Mounting and zeroing	DL-0008	225,

CUSTOM SHOP for STEYR MANNLICHER SM 12® and CL II

STEYR ARMS revives the century old, highly exclusive technique of coloured case hardening. The Antique models unite traditional finish with state-of-the-art arms technology.

The visually pleasing Antique models comprise a special coloured case hardening finish of housing, bolt handle, breech plug cap, magazine cover, screw base, trigger guard, rear sight base and front sight base.









In addition, barrel and system screws get a blued finish.

Besides the ostensible idea of visually pleasing design, this type of surface treatment entails technical advantages too. The process of hardening causes extremely hard surface conditions of the treated parts, which enteals a higher wear resistance. Components treated this way have a higher resistance against corrosion and mechanical stress.









The "Antique" models combine exquisite design, first class quality, long lifetime and excellent precision in one exclusive rifle.

With this novelty we want to accommodate the requirements of our customers with exalted requirements.



Engravings

In by gone times, hunting was a privilege enjoyed only by kings and nobility. Naturally, they only appreciated equipment of the best quality. It is no wonder that for many centuries hunting weapons have been embellished and decorated with engravings.







Today hunting weapons are valued as jewels and investment for many huntsmen. Thus, any decoration or ornament will add to the individual value of their weapon. They are visible expressions of the special importance hunting has in the life of the hunter.

















Pistolgrip cap with engraved game head

For detailed information concerning the engravings available, please contact your Area Sales Manager.





CUSTOM SHOP STEYR MANNLICHER SM 12® AND CL II

Custom Shop / Repairs

Custom Shop	Suggested Retail Surcharge in €
Surcharge Antique	2.600,
Surcharge 24ct (all metal parts are 24 carat gold plated)	11.000,
Standard Engraving (2 game scenes on receiver, 1 game head on magazine bottom, arabesques, oakleaves) - also available with black system	5.300,
"Elegance" Engraving	1.720,
Fine line engraving (system, magazine)	1.900,
Gold-plated Trigger CL II (EUR 60,- surcharge new rifle)	150,
Pistol grip cap steel with Initals	350,
Pistol grip cap steel with Initals and Gold inlay	980,
Pistol grip cap steel with engraved game head	670,
Hand polished stock finish	480,
MANNOX surface for old STEYR MANNLICHER rifles	800,
Engraved magazineplate (gamehead and border engraving)	950,
Pistol Grip Antique (no engraving)	280,
Mount Antique complete	980,

Custom Shop / Repairs	Material Number	Suggested Retail price in €
Hourly rate for gunsmith		145,
Mounting of butt plate (without butt plate)	1-DL-02007	130,
Mounting of butt plate (with butt plate)	1-DL-02010	200,
Barrel exchange SBS & Luxus (without barrel)		605,
Resin bedding of MANNLICHER system		215,
Swivel on barrel		115,
Barrel shortening		255,
Barrel STEYR MANNLICHER model SL/L/M		650,
Barrel STEYR MANNLICHER model S and Mountain		650,
Barrel SBS 558mm standard calibre		650,
Barrel SBS 635mm magnum calibre		650,
Barrel SBS 508mm		650,
Threading of used rifle (from 1996 onwards) including official proof test and thread cap		330,
Threading of used rifle (from 1996 onwards) with		
purchase of STEYR Breezer including official proof test and thread cap		180,
Open sights for a new rifle (surcharge)		400,

Information for threading barrels:

All rifles from 1996 (SBS) onwards can be threaded as well as all Mannlicher Luxus old model (before 1996). All other Steyr rifles (fe. Steyr Mannlicher S, M, I and SL models) can not be used with silencers and will therefore not be threaded.

For rifles with open sights please note that the front sight is removed and will not be placed on another position. Therefore, a silver marking on the barrel (where the sight was welded to the barrel) will remain visible.



NEW! STEYR PRO VARMINT

The new STEYR PRO VARMINT is a rifle that combines high fire rates with the proverbial precision of STEYR ARMS. Thanks to that it's the ideal rifle for Varmint shooting, training and competitions at the shooting range. The STEYR PRO VARMINT comes with a highly accurate, cold hammer forged, fluted heavy barrel in stainless. Every rifle is run in the factory which allows superb accuracy out of the box.

The STEYR PRO VARMINT is factory equipped with a Picatinny rail (Mil. Std. 1913 rail), which allows easy mounting of different optics and aiming devices. The bolt handle is designed for fast repeating and the adjustable cheek piece gives a maximum of stability in any shooting position.

Available in the calibers .222 Rem. and .223 Rem., .22-250 Rem, 243 Win. and .308 Win.



Technical Data	STEYR PRO VARMINT
System	Stainless fluted
Trigger	optional combi trigger (single set trigger) or direct trigger
Bolt Handle	- tactical bolt handle -
Stock	Synthetic with aluminium bedding and adjustable cheek piece -
Magazine	- synthetic box magazine -
Magazine Capacity	-4 rounds -
Barrel Length	558 mm-
Overall Length	1073 mm -
Weight	app. 3900 g
Twist rate	.222 Rem.: 1 in 14"; .223 Rem.: 1 in 9"; .22-250 Rem: 1 in 12"; 243 Win.: 1 in 10"; .308 Win.: 1 in 12"

STEYR ARMS PRO VARMINT Prices

Caliber	Set trigger Material number 5/8-24 UNEF thread	Direct trigger Material number 5/8-24 UNEF thread	Suggested Retail Price in €
.222 Rem.	66.19107.021220A	66.19107.011220A	2.521,
.223 Rem.	66.19157.021220A	66.19157.011220A	2.521,
.22-250 Rem.	66.19067.021220A	66.19067.011220A	2.521,
.243 Win.	66.19287.021220A	66.19287.011220A	2.521,
.308 Win.	66.19347.021220A	66.19347.011220A	2.521,

The same magazines as for SM12 and CLII can be used.



STEYR THB 6,5 CREEDMOOR

A special model in caliber 6,5 Creeedmoor with 635mm long threaded barrel (5/8-24 UNEF) and a Picatinny rail for every shooting enthusiast. The green synthetic stock features a long aluminium bedding for utmost stability.



Caliber	Set trigger	Direct trigger	Suggested
	Material number	Material number	Retail Price in €
6,5 Creedmoor	66.20257.021120A	66.20257.011120A	1.875,

Accessoires for Steyr THB and STEYR PRO VARMINT

Accessories	Material Number	Suggested Retail Price in €
Spare Stock SX incl. KALIX cheek piece	6607060518	696,
Soft butt plate 10mm (-8mm)	6600060410	61,
Soft butt plate 18mm (Standard)	6600060418	61,
Soft butt plate 26mm (+8mm)	6600060426	61,

The soft butt plates can be used for all SX-stocks!



STEYR SCOUT



With a total length of 98 cm and a weight of just 3 kg the STEYR SCOUT is extremely light and compact. The locking mechanism is based on the SBS (Safe Bolt System).

The three positioned roller safety switch rides on the center line of the tang. Both 5- and 10-round (adapter necessary) detachable box magazines may be used. Advanced handling characteristics, a perfect trigger and traditional STEYR ARMS precision combined with unbeatable usability make the STEYR SCOUT rifle the ideal weapon system for fast target acquisition and engagement.

The stock features a spare magazine in the butt stock. The receiver includes flip-up emergency sights.



The bipod integrated in the foreend stock can be deployed when needed.





Technical Data	STEYR SCOUT
System	Aluminium
Trigger	direct trigger
Bolt Handle	rounded bolt handle
Stock	synthetic stock black or grey with integrated deployable bipod
Magazine	synthetic box magazine
Magazine Capacity	5 rounds, additional magazine in the stock, 10-round magazine for .308 Win (HC-Kit needed) as an extra
Model	Nato standard rail in the fore-end stock and flip-up emergency sights
Barrel Length	480 mm
Overall Length	980 mm
Weight	app. 3000 g

STEYR SCOUT



Caliber	Material Number	Suggested Retail Price in €
.223 Rem. Black	26.046.3B0	2.118,
.243 Win. Black	26.286.3B0	2.118,
7mm-08 Rem. Black	26.366.3B0	2.118,
.308 Win. Black	26.346.3B	2.118,
NEW! 6.5 Creedmoor Win. Black 1/2-20UNF	26.347.3B	2.118,
.223 Rem. Mud	26.046.3M	2.118,
.243 Win. Mud	26.286.3M	2.118,
.308 Win. Mud	26.346.3M	2.118,
NEW! 6.5 Creedmoor Win. Mud 1/2-20UNF	26.347.3M	2.118,
.223 Rem. Green	26.046.3E	2.118,
.243 Win. Green	26.286.3E	2.118,
.308 Win. Green	26.346.3E	2.118,
NEW! 6.5 Creedmoor Win. Green 1/2-20UNF	26.347.3E	2.118,



STEYR SCOUT SCOPE MOUNTS

Scope Mount	Material Number	Suggested Retail Price in €
Scope mount for Scout / Ultra Light 30 mm high (up to 70 mm object lens diameter)	2614070503	270,
Mounting and zeroing original STEYR SCOUT mount and scope mounts fix for Scout	DL-0008	225,



STEYR SCOUT ACCESSORIES

Accessories	Material Number	Suggested Retail Price in €
HC-adapter-kit grey	2614050600	104,
HC-adapter-kit black	2614050601	104,
10-round magazine .243 Win., .308 Win., 7mm-08 Rem.	2607050604	150,
8-round magazine .376 Steyr	2607050505	150,
5-round magazine .243 Win., 7mm-08 Rem., .308 Win.	2614050602	86,
5-round magazine .223 Rem.	2614050604	86,
4-round magazine .376 Steyr	2614050502	86,
Butt spacer	2614060007	32,
Soft butt plate	2614060038	45,
Cheek piece and butt plate STEYR ELITE complete	2614060690	219,
Conversion kit cheek piece	2614060691	100,
Conversion kit butt plate	2614060692	132,
Sling Swivel Millet	2600060022	26,

The HC-Magazines for SM12 and CL II models will not work in the STEYR SCOUT.



NEW! STEYR SSG M1



The next evolution for Steyr Arms sniper rifle family – the STEYR SSG M1.

Features of the STEYR SSG M1

- Ase Utra muzzle brake
- M-LOK Forend
- 7-slot M-LOK Picatinny rail
- Heavy Duty Bolt
- Adjustable butt stock (length of pull, butt-plate and cheek-piece)
- Top Picatinny rail 30MOA
- Interchangeable barrel
- Direct trigger, adjustable in length
- Harris Bipod
- Dissasembling Tool

Technical Data	STEYR SSG M1	
System	Bolt Action, SBS (safe bolt system)	
Trigger	Adjustable 2-stage trigger (also trigger position is adjustable)	
Caliber	.308 Win., 6.5Creedmoor or .338 Lap. Mag. (Caliber can be changed)	
Stock	Aluminium folding stock (folds to the right)	
	Colours available: Black, OD-Green, Flat Dark Earth	
	Handguard M-LOK	
	Adjustable cheek piece, butt plate and length of pull	
Magazine	Detachable steel- double column box. Low profile reloading feature (loading from the side) with bolt stop functionality (bolt stays at the rear when magazine is empty)	
Magazine Capacity	10 rounds	
Barrel Length	Stainless steel barrel	
	.308 Win.:635 mm (25") /or 508mm (20")	
	6.5 Creedmoor:635 mm (25") /or 508mm (20")	
	.338 Lap. Mag.: 690mm (27,2")	
Overall Length	1225mm (635mm barrel); 1098mm (508mm barrel); 1280mm (690mm barrel)	
	folded approx. 200 mm shorter	
Weight	6470g (600 mm barrel); 6320g (508mm barrel); 6820g (690mm barrel)	
Rail	30 MOA Top Picatinny rail and 380mm long picatinny rail at the top of handguard	
Included Accessories	Harris bipod, dust cover, case deflector	





STEYR SSG M1

Caliber	Material Number	Suggested Retail Price in €
.338 Lap.Mag. M-LOK black	62.151.3KAB	9.911,
.338 Lap.Mag. M-LOK FDE	62.151.3KDA	9.911,
.338 Lap.Mag. M-LOK OD-Green	62.151.3KGA	9.911,
.308 Win. 508mm M-LOK black	62.252.3KAB	9.911,
.308 Win. 508mm M-LOK FDE	62.252.3KDA	9.911,
.308 Win. 508mm M-LOK OD-	62.252.3KGA	9.911,
Green	02.232.3NGA	9.911,
.308 Win. 635mm M-LOK black	62.253.3KAB	9.911,
.308 Win. 635mm M-LOK FDE	62.253.3KDA	9.911,
.308 Win. 635mm M-LOK OD-	62.253.3KGA	9.911,
Green	02.233.3KGA	9.911,
6,5CM 635mm M-LOK black	62.353.4KAB	9.911,
6,5CM 635mm M-LOK FDE	62.353.4KDA	9.911,
6,5CM 635mm M-LOK OD-Green	62.353.4KGA	9.911,





ACCESSOIRES

Accessories	Material Number	Suggested Retail Price in €
Picatinnyrail 7 slots M-LOK	1-HW-20221	43,00,
Atlas Bipod (black)	1-HW-09585	534,
Harris Bipod	1-HW-290901	221,
Harris Adapter for Picatinny	1-HW-09543	69,
Monopod	1-HW-09579	270,
Tactical sling	1-HW-09571	96,
Ammo-pouch	1-HW-01025	39,
Hook wrench	5790190	11,
Torx key T20	5590543	5,
Torx key T30	1-HW-05025	2,
Stormcase iM3300 with Foam	1-KO-01020-M1	520,
Bit T30	5590202	3,
Cleaning Kit .338LM	6200090610	200,
Cleaning Kit .308 Win.	6200090611	200,
Torque wrench	1-HW-02909	220,
NEW! Performance Kit .338 M-LOK	6200090664	1.350,
NEW! Performance Kit .308 Win. M-LOK	6200090665	1.350,

Due to the high demand we are happy to offer the Performance kit as an accessoire. The Performance Kit includes

- 7-slot M-LOK Picatinny rail
- Monopod
- Tactical sling (coyote colour)
- cleaning kit (please note the different numbers for the calibers)
- Premium dissasembling tool (Torque Torx)
- Bit T30
- Heavy Duty Case





EXCHANGEABLE BARRELS, MAGAZINES AND CONVERSION KITS

Conversion Kit

Accessories	Material Number	Suggested Retail Price in €
BLACK		
Conversion Kit .338 Lap.Mag.	E6201100001AB	1.926,
Conversion Kit .308 Win. 635mm	E6202100001AB	1.926,
Conversion Kit .308 Win. 508mm	E6202100011AB	1.926,
Conversion Kit 6.5 Creedmoor	E6202101002AB	1.926,
FDE		
Conversion Kit .338 Lap.Mag.	E6201100001DA	1.926,
Conversion Kit .308 Win. 635mm	E6202100001DA	1.926,
Conversion Kit .308 Win. 508mm	E6202100011DA	1.926,
Conversion Kit 6.5 Creedmoor	E6202101002DA	1.926,
OD-Green	Thread 5/8-24 UNEF	
Conversion Kit .338 Lap.Mag.	E6201100001GA	1.926,
Conversion Kit .308 Win. 635mm	E6202100001GA	1.926,
Conversion Kit .308 Win. 508mm	E6202100011GA	1.926,
Conversion Kit 6.5 Creedmoor	E6202101002GA	1.926,

Conversion Kit contains: Barrel, Bolt and 1 Magazine.





Barrels, Bolts Magazines

Accessories	Material Number	Suggested Retail Price in €
BLACK	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501AB	1.300,
Barrel .308 Win. 635mm	E6202110501AB	1.300,
Barrel .308 Win. 508mm	E6202110511AB	1.300,
Barrel 6.5 Creedmoor 635mm	E6202111502AB	1.300,
FDE	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501DA	1.300,
Barrel .308 Win. 635mm	E6202110501DA	1.300,
Barrel .308 Win. 508mm	E6202110511DA	1.300,
Barrel 6.5 Creedmoor 635mm	E6202111502DA	1.300,
OD Green	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501GA	1.300,
Barrel .308 Win. 635mm	E6202110501GA	1.300,
Barrel .308 Win. 508mm	E6202110511GA	1.300,
Barrel 6.5 Creedmoor 635mm	E6202111502GA	1.300,
Black		
Bolt Complete .338 Lap.Mag.	E6201041501AB	520,
Bolt Complete (.308 Win & 6.5CM)	E6202041501AB	520,
Magazine .338 LM	6201050510AB	260,
Magazine (.308 Win. & 6.5CM)	6202050501AB	260,
FDE		
Bolt Complete .338 Lap.Mag.	E6201041501DA	520,
Bolt Complete (.308 Win & 6.5CM)	E6202041501DA	520,
Magazine .338 LM	6201050510DA	260,
Magazine (.308 Win. & 6.5CM)	6202050501DA	260,
OD-Green		
Bolt Complete .338 Lap.Mag.	E6201041501GA	520,
Bolt Complete (.308 Win & 6.5CM)	E6202041501GA	520,
Magazine .338 LM	6201050510GA	260,
Magazine (.308 Win. & 6.5CM)	6202050501GA	260,



STEYR SSG 08

A milestone from the developers of STEYR ARMS! The STEYR SSG 08 is the ultimate rifle for every sport shooting purpose!

Thanks to it's aluminium folding stock the STEYR SSG 08 can be transported easily in a small case.

The STEYR SSG 08 features:

- High grade alumnium folding stock
- Adjustable cheek piece and butt plate with height marking
- Ergonomical exchangeable pistol grip
- A new designed massive bipod for all calibers
- Muzzle brake
- Picatinny rail, UIT rail on stock and various Picatinny rails on fore end
- 10-round HC-magazine

The STEYR SSG 08 in .308 Win. is available with a 600mm or 508mm barrel or with a 690mm barrel!



Technical Data	STEYR SSG 08		
System	MANNO	OX®	
Trigger	direct tr	igger	
Caliber	.308 Win and .300 Win. Mag338 Lapua Magnum		
Stock	Dural Aluminium foldingstock black with 280mm long UIT-Rail. External bolt release and various Picatinny rails		
Magazine	High capacity synthetic box magazine		
Magazine Capacity	.308 Win.: 10 rounds; .300 Win. Mag. 8 6 rounds		
Barrel Length	HB 600 mm (23.6") / HBC 508 mm (20")	690 mm	
Overall Length	1182mm (600mm); 1090mm (508mm); 1272 mm folded approx. 220 mm shorter folded approx. 220 mm short		
Weight	5,7kg (600 mm without bipod), 5,5kg (508mm without bipod)	6 kg	







STEYR SSG 08 folding mechanism



STEYR SSG 08 PRICE

Caliber	Material Number	Suggested Retail Price in €
.243 Win. 600 mm	60.527.3K	5.590,
.308 Win. 600 mm	60.533.3K	5.590,
.308 Win. 508 mm	60.535.3K	5.590,
.308 Win. 690 mm Ext. Barrel	60.532.3K	6.060,
.300 Win. Mag.	60.582.3K	5.890,
.300 Win. Mag. 690 mm Ext. Barrel	60.581.3K	6.360,
.338 Lap. Mag.	60.593.3K	6.510,



STEYR SSG 08 CAMOUFLAGE



The STEYR SSG 08 is also available with a special extremely rigid Camouflage coating. Also available in the new Bush-Camo – **when ordering please let us know which Camouflage you want**. Surcharge to the normal rifle: EUR 650,-



STEYR SSG 08 CAMOUFLAGE PRICE

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm	60.533.3KC	6.240,
.308 Win. 508 mm	60.535.3KC	6.240,
.300 Win. Mag.	60.582.3KC	6.540,
.338 Lap. Mag.	60.593.3KC	7.880,

STEYR SSG 08 STAINLESS

The STEYR SSG 08 is also available in a Stainless version in calibre .308 Win. and .338 Lap. Mag.



Caliber	Material Number	Suggested Retail Price in €
.308 Win.	60.733.3K	5.880,
.338 Lap. Mag.	60.793.3K	7.390,



STEYR SSG 08 A1

Improving the Best: The STEYR SSG 08 A1 the ultimate precision rifle from Steyr Arms.

With its long picatinny railsystem and fully adjustable folding stock – even in length the STEYR SSG 08 A1 sets new benchmarks on the precision rifle market.

This precision machine also features a dust cover that secures together with a special bolt design operation even in the most rigid conditions. Various Picatinny rails throughout the system guarantee maximum flexablity and possibility for customizing the rifle.



The rifle is equipped with a new high tech adjustable trigger unit, which allows even length adjustments and guarantees a perfect fit for every shooter at any circumstances.



Heavy duty bolt design

STEYR SSG 08 A1

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm	60.633.3KL	8.920,
.308 Win. 508 mm	60.635.3KL	8.920,
.338 Lap. Mag.	60.693.3KL	10.140,



NEW! STEYR SSG SX



The STEYR SSG SX - HIGHEST PRECISION FOR A REASONABLE PRICE

- match barrel with highly efficient muzzle brake
- aluminium bedding
- ergonomic synthetic stock with soft polymer inlays
- MIL-Std 1913 Picatinny Rail
- adjustabel cheek piece
- Harris Bipod
- .308 Win. available in 2 barrel lengths

Technical Data	STEYR SSG SX (308 Win.)	
System	MANNOX®	
Trigger	single trigger, 2 stage, factory set between 3.50 and 4.00 lbs.	
Stock	Black synthetic with adjustable cheek piece, polymer inlays and aluminium bedding	
Magazine	- Black synthetic, double staggered, detachable -	
Magazine Capacity	10 rounds	
Scope Mounts	- Picatinny rail 20MOA -	
Barrel Length	600 mm or 508 mm	
Overall Length	1180mm or 1085 mm	
Weight	- app. 3800 g resp. 4000 g -	



Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm	60.533.3SX	3.000,
.308 Win. 508 mm	60.535.3SX	3.000,



STEYR SSG 04 AND STEYR SSG 04 A1 - DISCONTINUED AS LONG AS STOCK LASTS.



The STEYR SSG 04 in cal. 308 Win. and 300 Win. Mag. was designed giving high accuracy, ease of maintenance, reliability and robustness for both sport shooters and law enforcement personal. The SSG 04 comes fully equipped with muzzle brake, Harris-bipod, high capacity magazine, adjustable cheekpiece and buttplate.

Technical Data	STEYR SSG 04 (308 Win.)	STEYR SSG 04 (300 Win. Mag.)	
System	MANNOX®		
Trigger	single trigger, 2 stage, factory set between 3.50 and 4.00 lbs.		
Stock	Black fibreglass reinforced synthetic with adjustable cheek piece and buttplate, Harris bipod included		
Magazine	- Black synthetic, double staggered, detachable -		
Magazine Capacity	10 rounds	8 rounds	
Scope Mounts	- Picatinny rail -		
Barrel Length	600 mm or 508 mm	600 mm	
Overall Length	1175mm or 1083 mm	1175 mm	
Weight	- app. 4900 g resp. 4700 g -		



The STEYR SSG 04 A1 is a slightly modified version of the STEYR SSG 04. With a long rail Picatinny system (Mil. Std. 1913), adjustable cheek piece and butt plate, high capacity magazine and a muzzle brake developed by STEYR ARMAS it has every technical detail required for precise results.

The STEYR SSG 04 has the same technical data (except about 200gr. More weight) as the STEYR SSG 04 and is available in caliber .308 Win. and .300 Win. Mag.



STEYR SSG 04 AND SSG 04 A1

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm SSG 04	60.533.3G	2.970,
.308 Win. 508 mm SSG 04	60.535.3G	2.970,
.300 Win.Mag. 600 mm SSG 04	60.582.3G	3.270,
.308 Win. 600 mm SSG 04 A1	60.633.3G	3.920,
.308 Win. 508 mm SSG 04 A1	60.635.3G	3.920,
.300 Win.Mag. 600 mm SSG 04 A1	60.682.3G	4.220,



ACCESSOIRES FOR STEYR SSG SERIES

Accessories	Material Number	Suggested Retail Price in €
Accessoires for SSG 04 and SSG 08		
Anti mirage strap 690mm barrel	2613090512	66,
Anti mirage strap 600mm barrel	2613090510	66,
Anti mirage strap 508mm barrel	2613090511	66,
NVS Bridge mount (for SSG 08)	2620070600	253,
Accessoires for SSG 08 and SSG 08-A1		
Bipod STEYR	2600090602	518,
Accessoires for SSG 04-A1		
Long Railsystem SSG04 A1	2607070510	1.320,
Accessoires for SSGs		
Magazin .308 Win 10 rnds	2607050604	150,
Magazin .300 Win.Mag. 8 rnds	2609050604	150,
Magazine .338 LM 6 rnds	2622050600	150,
Z-Aim Pro Stalker Sling	1-HW-3101-5	78,



Anti mirage strap

Z-Aim Pro Stalker sling

Information for the Long Rail system for STEYR SSG 04-A1:

Please note that the serial number has to be lasered in the longrail system before attaching it to a rifle! For example by mounting it on a STEYR SSG 04. Therefore the rifle has to be sent to our work shop!




STEYR ELITE

STEYR ELITE - The ultimate precision rifle, based on the SBS-system.

Utmost accuracy and safety and yet even more comfortable to use, this rifle meets the marksman's highest demands.



- The locking system bases on the approved system SBS
- The bipod integrated in the fore-end stock can be deployed when needed.
- All bipods available on the market can be mounted on the Nato standard rail integrated in the fore-end stock
- Long Picatinnyrail allows a wide range of optical sights to be mounted.





Technical Data	STEYR ELITE	
System	matt black	
Trigger	direct trigger	
Stock	black synthetic stock with integrated deployable bipod, height adjustable cheek piece and cheek cap	
Magazine	synthetic box magazine	
Magazine Capacity	5 rounds, additional magazine in the stock, 10-round magazine for 308 Win. (HC-Kit needed) as an extra	
Model	Picatinny rail	
Barrel Length	- 570 mm -	
Overall Length	- 1090 mm -	
Weight	app. 4250 g -	

STEYR ELITE



STEYR ELITE 08



Caliber	Material Number	Suggested Retail Price in €
.308 Win.	56.905.38	5.590,
7mm-08 Rem.	56.904.38	5.590,
.308 Win. Stainless	56.910.38	5.880,

Sames specs as the STEYR ELITE but with an aluminium folding stock!





STEYR ELITE ACCESSORIES

Accessories	Material Number	Suggested Retail Price in €
5-round magazine .308 Win.	2614050602	90,
10-round magazine .308 Win.	2607050604	150,
HC-adapter black	2614050601	104,
Butt spacer	2614060007	32,
Soft butt plate	2614060038	45,
Harris-bipod with adapter	2901090501	268,
Cheek piece and butt plate STEYR ELITE comp	2614060690	219,
Conversion kit cheek piece	2614060691	100,
Conversion kit butt plate	2614060692	132,
Muzzlebrake on a new rifle		340,
Sling Swivel Millet	2600060022	26,
Bipod Steyr (ELITE 08)	2600090602	518,



STEYR HS .50 M1



The STEYR HS .50 M1 is the evolution of the well known STEYR HS .50. The biggest difference is the 5 round magazine which makes the rifle even more powerful.

The STEYR HS .50 M1 features additionally to the STEYR HS .50:

- 5 round magazine
- Long Picatinnyrailsystem with Picatinnyrails on the side
- Adjustable cheekpiece
- Newly designed and fixable bipod
- Spine at the buttstock

Technical Data	STEYR HS .50 M1	
Caliber	.50 BMG	
Action	Bolt Action	
Trigger	Single trigger, 2 stage, factory set, 4.00 lbs.	
Stock	Adjustable cheekpiece / fixable bipod	
Magazine	5 rounds	
Safety	Triggersafety	
Barrel Length	900 mm / 35,43" with high-effeciency muzzle brake (610mm barrel HS.50 M1 Mountain)	
Overall Length	1500 mm	
Weight	Appx. 14,5 kg / 28.5 lbs.	



Caliber	Material Number	Suggested Retail Price in €
.50 BMG	61.055.1	7.930,
.50 BMG (610mm barrel)	61.050.1	7.930,



Accessories	Material Number	Suggested Retail Price in €
Magazine 5 rounds	6101050501	363,
Sound suppressor .50 BMG	6100090605	1.777,
Bipod HS.50 M1	6100090603	534,
Long Picatinnyrail system (requires 2x 3862086 screws)	6101010003	964,
Upgradekit adjustable monopod for buttstock (for HS .50)	6101020611	563,

SCOPE MOUNTS FOR ALL RIFLES WITH PICATINNY RAILS

Scope Mount	Material Number	Suggested Retail Price in €
ARMS scope reduction rings from 30 mm to 1"/26 mm	1-HW-ARMS37	66,
ARMS ZF Montage Low 30mm	1-HW-ARMS22LOW	263,
ARMS scope mount medium 30 mm	1-HW-ARMS22	263,
ARMS scope mount high 30 mm	1-HW-ARMS23	263,
Mounting and zeroing	DL-0008	210,
ERA Mount 1" 20 M.O.A.	6100070501	393,
Monobloc Mount HG 23mm 30 mm 20 M.O.A.	1-HW-57620-3010	370,
Monobloc Mount HG 17mm 30 mm 0 M.O.A.	1-HW-57600-3000	370,
Monobloc Mount HG 23mm 30 mm 0 M.O.A.	1-HW-57600-3010	370,
Monobloc Mount HG 23mm 34 mm 0 M.O.A.	1-HW-57600-3410	370,
Monobloc Mount HG 17mm 34 mm 0 M.O.A.	1-HW-57600-3400	370,
Monobloc Mount HG 17mm 34 mm 20 M.O.A. 3 Fixing screws	1-HW-57620-3403	370,
Monobloc Mount HG 17mm 34 mm 20 M.O.A.	1-HW-57620-3400	370,
Monobloc Mount HG 23mm 34 mm 20 M.O.A.	1-HW-57620-3410	370,
MAKuick 3 - HG 14 30 mm	1-HW-5263-3014	206,
MAKuick 3 - HG 8 - SR Rail	1-HW-5263-6008	206,
MAKfix	1-HW-5270-3012	100,



NEW!! STEYR AUG SA Z



The civilian Version of the world-famous STEYR AUG is now available in new variants, with muzzle device and quick barrel change option.

It is a gas-operated semi automatic rifle with a picatinny rail (Mil. Std. 1913 rail) which allows quick attachment of various optic devices or original carrying handle with integrated optics.

The "Bull Pup" Design makes it a short handy rifle with high reliability and accuracy.

The STEYR AUG series is famous for its modular concept which permits field stripping into the main groups within a few seconds.

The cold hammer forged, chrome-lined barrel with a twist length 1" in 9" which guaranties high reliability.

Special models:

We are proud to introduce new special models:

- 1) AUG ARMY SA Inspired by the famous AUG introduced with the Austrian Armed Forces this rifle features the olive stock, original 1,5x optics and the typical "tulip-style" muzzle device.
- 2) AUG A3 SWAT SA Developed for the special demand of todays SWAT teams, this rifle features a short 16" barrel, a top rail with Keymod attachments and integrated flip-up emergency sights, a picatinny rail at the barrel and the new STEYR ARMS case deflector that allows should change.
- 3) AUG A3 Police SA the shortest available AUG SA with a 15" barrel, an additional railsystem at the barrel with Keymod® and fixed barrel grip as well as a larger magazine release and the Corvus Defensio case deflector.

All STEYR AUG SA are delivered with a 9 rnd. magazine as a standard

Please note that purchasing the STEYR AUG SA is subjected to special regulations. For detailed informations please contact your Sales Manager











AUG A3 SA SE with original carrying handle (70mm)





Model	Caliber / barrel length	Material Number	Suggested Retail Price in €
AUG ARMY SA Olive	.223 Rem. 20"	17.155.1	2.868,
AUG A3 SWAT SA	.223 Rem. 16"	17.475.1	2.592,
AUG A3 SA Flat Top black	.223 Rem. 16"	17.487.1	2.335,
AUG A3 SA Flat Top black	.223 Rem. 20"	17.487.3	2.335,
AUG A3 SA Flat Top black	.223 Rem. 21,6"	17.487.2	2.335,
AUG A3 SA SE 1,5x scope black	.223 Rem. 16"	17.486.1	3.082,
AUG A3 SA SE 1,5x scope black	.223 Rem. 21,6"	17.486.2	3.082,
AUG A3 SA SE 3x scope black	.223 Rem. 16"	17.486.3	3.157,
AUG A3 SA SE 3x scope black	.223 Rem. 21,6"	17.486.4	3.157,
AUG A3 SA 3x scope black 60mm optical height	.223 Rem. 16"	17.486.5	3.456,
AUG A3 SA Police	.223. Rem. 15"	17.484.1	2.796,



Aiming



Original STEYR AUG 1,5x scope for AUG Z (not for A3 versions!) 1240020652



Mil. Std. 1913 rail (Picatinny rail) for AUG Z (available also for the STEYR AUG Z A3 SE)



Original AUG Z A3 scope (1,5x) 1250020585



Flip up open sights 1-HW-640104



Picatinnyrail protection Black: 1252090011 Olive: 1252090010



Stocks and accessoires



Conversion kit olive for STEYR AUG Z (not for A3 versions!)



Original case deflector 5.56 1251060601



NATO stock for STEYR AUG SA (including trigger unit excluding magazine)

Olive: 1211060612 Black: 1211060622



The sum of the little l

Original Sling black or olive





Sling Clawgear with QD swivel 1-HW-3101-9



Blue Force sling padded 1-HW-90006



Left: retaining bolt with hook 1252030470 Middle: QD-sling swivel 1-HW-260603

Right: retaining bolt for QD swivel 1252030065



Barrels and accessoires





.300 AAC Blackout barrel E1256010511

Gas regulator "Kommando" for various suppressors 1252010460





Quick barrel change kit (for older STEYR AUG Z with fixed barrel)

Olive: 1245020630 Black: 1245020635



Railsystem "Police" with Keymod® 1250010527



Railsystem SWAT 1250010506



Magpul RVG barrel grip 1-HW-120106







Trigger spring tuning kit (trigger unit not included) 1251030600



Magazine 9, 30, 42 rounds



Magazine Nato 10 rounds 1-HW-09632



Gunbags





Original STEYR ARMS AUG gunbag

Coyote: 1-HW-05106 Black: 1-HW-05105



Original STEYR ARMS tactical gunbag 1-HW-09621







STEYR ARMS / Tasmanian Tiger Tactical Bag incl. 4 magazine pouches 1-HW-05107

Accessories	Material Number	Suggested Retail Price in €
Aiming		
Original scope 1,5x for AUG Z	1240020652	811,
AUG Z A3 scope	1250020585	811,
Adjusting Key for original scope	1200090090	13,
Picatinny Rail (Mil. Std. 1913 rail)	1240020004	141,
Picatinny Rail for STEYR AUG Z A3 SE	1252020144	141,
Cover for original optic	1200090489	15,
STEYR Picatinnyrail protection olive	1252090010	23,
STEYR Picatinnyrail protection black	1252090011	23,
Flip up open sights	1-HW-640104	135,
Stocks and Accessoires	2 1117 0 10 20 1	1007
Conversion kit Olive for AUG Z	1245000600	468,
Nato stock incl. Trigger unit olive (7013)	1211060612	557,
Nato stock incl. Trigger unit black (9011)	1211060612	557,
Case deflector 5.56 black (right)	1251060601	53,
NEW! Case deflector 5.56 black (left)	1251060601	53,
	1200090503	45,
Sling green		
Sling black	1200090590	45,
Clawgear sling with QD swivel	1-HW-3101-9	70,
Blue Force sling padded	1-HW-90006	151,
Retaining bolt with hook	1252030470	41,
Retaining bolt for QD-swivel	1252030065	41,
QD-sling swivel	1-HW-260603	22,50,
Brass Catcher (only AUG Z - not A3)	1-HW-09012	103,
Barrels and Accessoires		
Barrel group 382mm (15") threaded, black, fixed grip	E1245010528	610,
Barrel group 417mm (16") threaded, black, fixed grip	E1245010521	610,
Barrel group 508mm (20") threaded, black, fixed grip	E1245010525	610,
Barrel group 550mm (21.6") threaded, black, fixed grip	E1245010520	610,
NEU! Barrel group .300 AAC 9011	E1256010511	610,
Muzzle brake AUG Z A3	1245010606	207,
Muzzle brake AUG Z A3 9mm	1245010607	207,
Flash hider .300 AAC	1256010630	207,
Quick barrel change kit (7013 olive)	1245020630	53,
Quick barrel change kit (9011 black)	1245020635	53,
Gas regulator "Kommando"	1252010460	104,
Railsystem "Police"	1250010527	318,
Railsystem "SWAT"	1250010506	318,
Magpul RVG grip	1-HW-120106	40,
Various Accessoires	1 1111 123133	107
Magazine 9 rounds	1245050501	67,
Magazine 30 rounds	1200050502	38,
Magazine 42 rounds	1200050502	90,
Magazine 42 rounds 9x19	1213050503	· · · · · · · · · · · · · · · · · · ·
		134,
Magazine 10 rounds 9x19 (limited to 10 rnds.)	1213050444	134,
Magazine NATO 10 rounds 5.56	1-HW-09632	36,
Conversion Kit left hand	1245040572E	306,
Cleaning Kit	1200090560	53,
Triggerspring Tuning Kit	1251030600	38,
Gunbags		
STEYR ARMS Original Gunbag olive	1-HW-05106	38,
STEYR ARMS Original Gunbag black	1-HW-05105	38,
STEYR ARMS tactical gunbag	1-HW-09621	115,
STEYR ARMS Tasmanian Tiger tactical bag incl. 4	1-HW-05107	233,
Magazine pouches	I IIVV UJIU/	233, -



STEYR PISTOLS

The STEYR PISTOLS are exactly what a handgun should be regarding performance, safety and reliability. Aiming at the future!

Their revolutionary design and safety features, including the unique lockable safety system in a self-loading pistol, place the STEYR PISTOLS light years ahead of their competitors.

STEYR ARMS Pistols are world-famous for its future-orientated design and technology as well as ultimate ergonomics and proverbial precision.

The innovative grip frame offers unmatched ergonomics for best pointing characteristics and is equipped with interchangeable backstraps and side plates to configure the grip to the individual shooters hand.

The real Picatinny rail on the lower front frame allows mounting a wide range of white lights and laser aiming devices.

Fast and precise target acquisition due to the innovative triangular/trapezoid sights (also other sights available) and the unique lockable safety system make this semi-automatic pistol what a handgun should be in modern times.

STEYR ARMS has long been known as the leader in the utilisation of advanced synthetics for firearms. Also the materials used in the ultra-rigid frame of this new pistol represent the state-of-the art in the world of handguns.

Not only ergonomics was in the foreground during the development process of the STEYR PISTOLS. Also safety was an important point same as it is on all STEYR ARMS products.

The STEYR PISTOLS are available with two resp. three safety conditions optional:

- Automatic Trigger- Drop- Firing Pin Safety Mechanism In this condition the pistol is safe until the moment the trigger is pulled.
- Integrated limited access lock with key The integrated locking function is activated by a key and prevents firing and disassembling of the pistol.
- Optional Manual Safety Can be activated manually, according to the user's needs. The safety catch can be quickly deactivated by the trigger finger. And the Best it's free of charge.

STEYR ARE products are unbeatable in quality and reliability. Due to their world-wide acclaim of producing the most accurate and durable executive self-defence and hunting firearms, it's no surprise that the pistol series meet these standards as well.



STEYR PISTOLS Safety



Safety Condition 1

Automatic Trigger- DropFiring Pin Safety Mechanism.

In this condition the pistol is safe until the moment the trigger is pulled.



Safety Condition 2
Optional Manual Safety.
Can be activated manually, according to the user's needs.
The safety catch can be quickly deactivated by the trigger finger.



Integrated limited access lock with key.

The integrated locking function is

The integrated locking function is activated by a key and prevents firing and dis-assembling of the pistol.



STEYR PISTOL A2 MF SERIES

The newly designed STEYR PISTOL A2 MF is the newest member in the STEYR ARMS product family. It is available in 3 sizes – (L-Large; M-Medium and C-Compact) with 17rnd magazine, a real picatinny rail (MilStd. 1913) at the forend and a fully adjustable grip. The back strap as well as both sides of the grip are adjustable with different sized inlays to adjust it to the shooters hand. The grip also features a funnel for a quick mag azine change

The Pistol is delivered with 3 backstraps and side plates (S, M, L)



Technical Data	STEYR PISTOL L-A2 MF	STEYR PISTOL M-A2 MF	STEYR PISTOL C-A2 MF
Length x Height x Width	200x142x33 mm	187x142x33mm	177x142x33mm
Weight (with empty magazine)	785g	780g	766g
Barrel Length	115 mm	102 mm	92 mm
Caliber	9x19 (9x21)		
Magazine Capacity	17 rounds		
Grip Frame	Synthetic with interchangeable side plates and backstrap. Funnel for quick magazine change		
Trigger System	Reset action system		
Trigger Pull	4,0 mm (constant)		
Safety	Automatic Trigger- Drop- Firing Pin Safety, Integrated limited access lock with key		
	Optional Manual Safety		
Sights	Trapezoid/Triangular, Rectangular, Tritium or Match sights		





STEYR PISTOL L-A2 MF

STEYR PISTOLS L-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H0	78.124.2H0	730,

STEYR PISTOLS L-A2 MF WITH RECTANGULAR SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H3	78.124.2H3	730,

STEYR PISTOLS L-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual	with manual	Suggested
	safety	safety	Retail Price in €
9x19	78.123.2H1	78.124.2H1	870,

STEYR PISTOLS L-A2 MF WITH MATCH SIGHTS

Caliber	no manual	with manual	Suggested
	safety	safety	Retail Price in €
9x19	78.123.2H2	78.124.2H2	870,





STEYR PISTOL M-A2 MF

STEYR PISTOLS M-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H0	78.224.2H0	730,

STEYR PISTOLS M-A2 MF WITH RECTANGULAR SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H3	78.224.2H3	730,

STEYR PISTOLS M-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H1	78.224.2H1	870,

STEYR PISTOLS M-A2 MF WITH MATCH SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H2	78.224.2H2	870,





STEYR PISTOL C-A2 MF

STEYR PISTOLS C-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Distributor Price in €
9x19	78.323.2H0	78.324.2H0	730,

STEYR PISTOLS C-A2 MF WITH RECTANGULAR SIGHTS

Caliber	no manual safety	with manual safety	Distributor Price in €
9x19	78.323.2H3	78.324.2H3	730,

STEYR PISTOLS C-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual safety	with manual safety	Distributor Price in €
9x19	78.323.2H1	78.324.2H1	870,





NEW! STEYR PISTOL A2 MF with coloured grip

The STEYR PISTOL A2 MF is now also available with different grip colours. Sand RAL1019 and Olive RAL 7013 $\,$

It is available in the Model M-A2 and C-A2 with rectangular or tritium sights in calibre 9x19. The exchangeable sideplates and backstraps are also available in different colours as an accessory.

Model	Grip colour	Ordernumber	Suggested Retail Price in €
M-A2 MF rectangular sight	Sand RAL 1019	78.227.2H3	730,
M-A2 MF Tritium	Sand RAL 1019	78.227.2H1	870,
C-A2 MF rectangular sight	Sand RAL 1019	78.327.2H3	730,
C-A2 MF Tritium	Sand RAL 1019	78.327.2H1	870,
M-A2 MF Trapezoid sight	Olive RAL 7013	78.225.2H0	730,
M-A2 MF rectangular sight	Olive RAL 7013	78.225.2H3	730,
M-A2 MF Tritium	Olive RAL 7013	78.225.2H1	870,
C-A2 MF rectangular sight	Olive RAL 7013	78.325.2H3	730,
C-A2 MF Tritium	Olive RAL 7013	78.325.2H1	870,





SOME SAMPLES OF DIFFERENT COMBINATIONS







Accessories	Material Number	Suggested Retail Price in €
Interchangeable grip kit (7pcs.) black (9011)	7800090501	35,
Interchangeable grip kit (7pcs.) olive (7013)	7800090503	35,
Interchangeable grip kit (7pcs.) orange (2005)	7800090505	35,



STEYR PISTOL Accessoires

MAGAZINES

Magazines	Material Number	Suggested Retail Price in €
Magazine M357 .357 Sig. (12-round)	3903050502	60,
Magazine L/M/C40 .40 S&W (12-round)	3901050502	60,
Magazine L/M/C9 9x21 (14-round)	3902050503	60,
Magazine L/M/C9 9x19 (17-round)	3902050517	60,
Magazine L/M/C9 9x19 (10-round)	3902050501	60,
Magazine M357 .357 Sig. (10-round)	3903050501	60,
Magazine L/M/C40 .40 S&W (10-round)	3901050501	60,
Magazine S9 9x19 (10-round)	3902050511	60,
Magazine S40 .40S&W (10-round)	3901050511	60,
Magazine 9x19 (17-round) for A2 MF series	7802050517	65,

CONVERSION KITS A1 SERIES

A wide range of Conversion kits are available for the STEYR PISTOL Series to change from 9x19 to .40S&W and vice versa. The conversion kit contains a slide assembly (including all parts like barrel,...) and a magazine.

Model	Caliber	Material Number	Suggested Retail Price in €
L-A1	9x19	3900000606	445,
L-A1	.40 S&W	3900000607	445,
M-A1	9x19	3900000611	445,
M-A1	.40 S&W	3900000600	445,
C-A1	.40 S&W	3900000614	445,
S-A1	9x19	3900000604	445,
S-A1	.40 S&W	3900000603	445,





ACCESSORIES FOR STEYR PISTOLS

Accessories	Material Number	Suggested Retail Price in €
Cleaning Kit Pistol	4700090501	20,
Conventional sights with tritium inserts	3900040530	140,
Lamp/Laser Adapter Model M (old model)	1-HW-390201	60,
Adjustable match sights (M-A1 & S-A1)	3900040680	140,
Speedloader	3900090005	5,
Interchangeable grip kit (7pcs.) black (9011)	7800090501	38,
Interchangeable grip kit (7pcs.) olive (7013)	7800090503	38,
Interchangeable grip kit (7pcs.) orange (2005)	7800090505	38,



Conventional Sights with tritium inserts



Cleaning Kit STEYR PISTOL M-Series



HOLSTERS

Holster for M/S and A1-series	Material Number	Distributor Price in €
Synthetic holster STEYR PISTOL M&S Series (old series)	3900090002	16,
Magazine pouches synthetic	3900090003	10,
Leather magazine Box with Clip	1-HW-62833	80,
Holster for A1 Series		
Leather holster STEYR PISTOL A1 series Clip	1-HW-62365	43,
Leather holster STEYR PISTOL A1 series Loop	1-HW-62365LOOP	43,
Tactical holster set	1-HW-01007	92,
Bladetech holster	1-HW-01051	83,



Synthetic holster
PISTOL M&S Series



Magazine pouches







Left: with clip Right: with loop





STEYR

Holster Bladetech with tactical plate



Tactical Holster set for L-A1 and M-A1



Holster for A2 MF series	Material Number	Distributor Price in €
Leather holster G-Man STEYR PISTOL A2 MF series	1-HW-62366	59,
Leather holster Lightning STEYR PISTOL A2 MF series	1-HW-62367	58,
Cytac Holster right hand	1-HW-62476	32,
Cytac Holster left hand	1-HW-62478	32,
Cytac Belt Loop (for usage with holster 1-HW-62476)	1-HW-62477	7,
Military Holster Level 3 - King Cobra	1-HW-62474	49,
Leg Plate for King Cobra Holster	1-HW-62475	73,



Holster G-Man (1-HW-62366)



Holster Lightning (1-HW-62367)



Holster King Cobra COP Level 3 (1-HW-62474)



left: Belt loop (1-HW-62477)

right: Cytac Holster (1-HW-624776







STEYR ZEPHYR II

Technical Data	STEYR Zephyr II	
Trigger	Direct trigger	
Stock	Walnut	
Housing/Mount	11mm Prisma	
Magazine	5-rounds	
Barrel length	500 mm-	
Overall length	1.000 mm -	
Weight	Approx 2.400 g (5,3lbs)	



The new small bore rifle follows up the excellent build quality of its "big sisters" and sets totally new standards in the segment of rifles for rimfire cartridges.

With its elegant and also modern stock design and the Steyr Arms known high quality it makes the STEYR Zephyr II a must have for every Steyr Arms enthusiast.

Available Calibers: .17HMR, .22 LR, .22 WMR

The standard thread is ½-28 UNEF. Other threads upon request.

The STEYR ZEPHYR II is also available in an elegant fullstock version!

Caliber	Material Number	Suggested Retail Price in €	Thread	Suggested Retail Price in € incl. VAT
.22 lr	70.053.1A0	1.144,	1/2-28 UNEF	1.373,
.22WMR	70.063.1A0	1.144,	1/2-28 UNEF	1.373,
.17 HMR	70.073.1A0	1.144,	1/2-28 UNEF	1.373,
.22 lr	70.051.1A1	1.254,	adj. open sights	1.505,
.22WMR	70.061.1A1	1.254,	adj. open sights	1.505,
.17 HMR	70.071.1A1	1.254,	adj. open sights	1.505,
.22 lr	70.052.1A0	1.144,	1/2-20 UNF	1.373,
.22WMR	70.062.1A0	1.144,	1/2-20 UNF	1.373,
.17HMR	70.072.1A0	1.144,	1/2-20 UNF	1.373,
Fullstock				
.22lr	70.051.1B2	1.364,	open sights	1.637,
.22WMR	70.061.1B2	1.364,	open sights	1.637,





STEYR ZEPHYR II Accessories

Acessories	Material Number	Distributor price in EUR
Magazine ZEPHYR II cal22lr (5 rounds)	1-HW-01301	33,
Magazine ZEPHYR II cal22WMR & .17HMR (5 roundss)	1-HW-01300	33,
Mount ZEPHYR II 1" (25,4mm)	1-HW-01214	91,
Mount ZEPHYR II 30mm	1-HW-01215	91,



SLINGS FOR STEYR RIFLES



Sling CL



Sling SC



Sling PH



Sling UL

Slings (Distributor Price=no discount)

Sling	Material Number	Distributor Price in €
Sling CL	1-HW-3101-2	38,
Sling SC	1-HW-3101-1	35,
Sling PH	1-HW-3101-3	33,
Siling UL	1-HW-3101-4	33,



STEYR KNIVES

SCOUT PROFESSIONAL



Hunting knife TRADITION (deer horn)



Pocket knife ZERBRA (6cm blade length)




Knife Scout Survival



Knife EARL







Hunting knife OVIS (ram's horn)



Pocket Knife BLACK (6cm blade length)



Knife ELEGANCE





GENERAL TERMS OF DELIVERY AND PAYMENT OF STEYR ARMS GMBH

General

We perform all of our deliveries and services exclusively under the following conditions. Conflicting customer terms and conditions are not recognised.

Our execution of the order without objection or complaint does not constitute assent to other conditions.

Product information

Our product information is subject to change and is non-binding. It is our (intellectual) property, including the accompanying enclosures, samples and descriptions, and may not be reproduced or made available to third parties without our consent. At our request, product information must be returned at any time and at the customer's expense.

Contract conclusion

The customer's order represents a binding offer to us to conclude a purchase contract for the goods ordered. The purchase contract is concluded when we accept the customer's order by means of a written order confirmation or when we actually fill the order and send the goods to the customer.

Import or export licences, foreign exchange permits or other permits that are required for the fulfilment of the contract, in particular for delivery, must be provided by the customer at its own expense, unless otherwise expressly regulated by law or regulation. The customer must make all reasonable efforts to obtain the necessary licences or approvals immediately and to prove their existence or provide them to us at our request.

In the event that not all required licences or approvals have been granted in a demonstrably legally effective manner within a reasonable period set by us, we are entitled to withdraw from the contract by means of a written declaration to the customer. In this case, the customer must reimburse us for all necessary and appropriate costs that we incurred from and in connection with the conclusion of the contract.

Prices and payments

All prices are in euros ex works and exclusive of statutory value-added tax. Loading, transport costs, transport insurance and environmental protection-related expenses will be charged separately.

We reserve the right to unilaterally adjust the agreed price through an appropriate increase or decrease if, after the conclusion of the contract, changes occur to the factors on which our cost calculation is based - in particular due to wage adjustments from collective agreements, price changes on the part of our suppliers, changes in energy or financing costs, exchange rate fluctuations or taxes and duties.

Unless otherwise expressly agreed in individual cases, payments are due immediately after invoicing without any deduction. We reserve the right to only execute orders against prepayment or cash on delivery. Discounts are only granted if this has been separately agreed in writing. The customer is not entitled to, on account warranty or other claims that have not been recognised by us, withhold payments or other services to be provided by it. In the event of default, we are entitled to default interest at the statutory rate, as well as reimbursement of the necessary costs of appropriate out-of-court enforcement and collection measures, including by attorneys or a debt collection service provider, insofar as these costs are reasonably proportionate to the asserted claim. In particular, we must be reimbursed for a dunning fee of EUR 40 per reminder for dunning letters.

Minimum order values/rejection of orders

For organisational reasons, we cannot accept orders for less than a minimum order value of \le 40 per order. We reserve the right to set different minimum order values for individual goods or groups of goods or to accept orders that are below the minimum order value.

In addition, we reserve the right to refuse to accept orders without giving reasons and without notifying the customer.

Returns of goods

In the case of goods being returned by the customer, a posting fee of € 40 per item will be charged. This does not apply if goods are returned to us for the purpose of checking and fulfilling warranty obligations.

Retention of title

The delivered goods remain our property until the purchase price has been paid in full, plus any interest on arrears and additional costs, such as collection costs, transport costs, costs for transport insurance and expenses related to environmental protection.

Resale of goods subject to a retention of title is only permitted with our express written consent.

In the event that the goods are permitted to be resold, the customer hereby declares that they assign to us, for the purpose of payment, all claims against the respective purchaser arising from and in connection with the respective sale. This also applies if the goods subject to a retention of title are only part of a complete delivery by the customer to its purchaser.

In addition, we are entitled to, at any time, notify the buyer, who must be named by the customer at our request, of the assignment of claims and to request that payment be made to us.

The customer irrevocably undertakes to transfer any incoming payments from claims assigned to us, up to the amount of our claims against the customer. At our request, the customer must allow us to view its financial records free of charge, to allow inspection by granting access to business premises and the free provision of the necessary aids, to send us copies of them in paper or electronic form free of charge, or to provide the information requested by us and to account for the resold goods and the assigned claims.

Furthermore, the customer is prohibited from pledging our goods that are subject to a retention of title, transferring them as security or granting third parties other real or mandatory rights to them. The customer is obliged to inform third parties of our rights in the event of seizure or

confiscation of our goods subject to retention of title, to notify us immediately and to support us in asserting our property rights, failing which the customer is liable to us for all damages resulting from a violation thereof.

The return of the goods subject to a retention of title does not take place in lieu of payment. In the event that we withdraw from the contract, we are entitled to disposal with the goods that are our property. Any proceeds obtained in the course of disposal with the goods will be used to offset our claim against the customer.

Delivery times

A delivery date is only accepted as binding if we have expressly promised it in writing and the customer fulfils all of its duties of cooperation.

We are entitled to make partial deliveries and to issue partial invoices.

Announced expected delivery times are non-binding and apply to the time of delivery ex works. In the event of default on binding delivery dates, the customer grants us a grace period of at least four weeks.

In addition, binding delivery deadlines will be extended appropriately if the customer does not meet its obligations or if unforeseen events, events for which we are not responsible, or extraordinary events occur in our plant or in the plant of one of our suppliers, e.g. war, mobilisation, natural disasters or strikes.

After the elimination of obstacles or the completion of the necessary cooperative actions, we are entitled to a reasonable delivery period of at least four weeks.

In the event that the customer withdraws from the contract, all further claims of the customer against us, regardless of the legal basis, are excluded. The only exceptions to this are claims for compensation for damage caused intentionally or through gross negligence by us or persons acting under our responsibility.

Transfer of risk

The risk passes to the customer upon handover ex works to the customer or the carrier, the customer's agent or other persons named to us by the customer. If the delivery is delayed through no fault of our own, the risk is transferred to the customer upon notification of readiness for dispatch.

Cancellation / right of withdrawal of STEYR ARMS GmbH

If there are other than only minor changes in the person or in the status of the customer under corporate law, if we become aware of facts that impair the customer's credit or trustworthiness, we are entitled to withdraw from the contract, provided that the customer refuses to make advance payments or provide a security within a reasonable deadline set by us or does not or cannot, to our satisfaction, clarify circumstances that we deem questionable.



Warranty

We always provide a guarantee in accordance with the statutory regulations, but subject to the following provisions:

The delivered goods are of standard commercial quality. In particular, customary deviations in the product quality, structure and external appearance of the goods are deemed to have been approved by the customer and do not constitute defects.

The warranty period is 2 years from delivery of the goods.

The customer must notify us of any defect in writing within a reasonable period, with a detailed description of the defect and including proof of delivery.

If the notification of defects is not made in full or is not made on time, the goods are deemed to have been approved by the customer and the assertion of claims against us, in particular for errors regarding freedom from defects, is excluded.

At our request, the customer must return the goods that are the subject of the complaint to us for inspection and possible fulfilment of warranty obligations, insofar as these exist in the individual case. The customer must arrange for the goods to be returned to us at its own risk and expense. If the customer does not comply with our request within a period of fourteen days from receipt of the request, this is deemed to be a waiver of the assertion of all rights from warranties and damages, in particular due to any damage caused by defects as well as errors concerning the absence of defects in the goods.

If we are obliged to provide a warranty for defective goods, the defect is generally remedied in the order below, wherein we reserve the right to freely choose the means of satisfying the warranty obligations:

Rework

Replacement of the defective part

Exchange of the defective goods

Price reduction

We reserve the right to refuse rework or exchange of the goods and instead reduce the price or in the case of other than just minor defects in accordance with § 932 (4) of the Austrian Civil Code (ABGB) - to convert the order to a different product if the improvement or replacement would be impossible for us or would only be possible with a disproportionate amount of effort.

Elimination of the defect does not trigger an extension of the warranty period.

No liability is assumed for defects known or obvious to the customer. There is no guarantee for defects that can be traced back to operational wear and tear, improper use or operator errors, as well as the removal of serial numbers. If the customer continues to use the goods despite having knowledge of a warranty case, this shall constitute a subsequent waiver of all claims from warranty and compensation for damages, in particular due to the defect itself as well as for claims from an error regarding the freedom from defects of the goods.

Unless otherwise stated in these General Terms and Conditions of Delivery and Payment, further claims by the customer - on whatever legal grounds - are excluded.



Limitation of liability

Our liability for damage incurred by the customer from and in connection with the respective contract, in particular for lost profits or other financial harm to the customer, is excluded, unless it concerns personal injury or other damage caused by us or persons acting under our responsibility, through intentional acts or with gross negligence. The exclusion applies in particular to claims due to the violation of secondary obligations. We are not liable for incorrect information in brochures, catalogues and other written documents.

The customer must provide evidence of the existence of gross negligence.

Prohibition on assignment and set-off

The customer is not entitled to assign its claims from the contract to third parties. Even if the contract is based on the general terms and conditions of our customer that have been expressly recognised in writing, the prohibitions on assignment and all other contractual conditions relating to the assignment of claims shall be deemed null and void and are in any case not covered by our assent.

Furthermore, the customer is not entitled to offset any counterclaims against our claims. The offsetting prohibition does not apply in the event of our insolvency.

General

Our contracts are subject to Austrian law to the exclusion of the UN Convention on Contracts for the International Sale of Goods and the provisions on conflict of laws. The competent court for STEYR ARMS GmbH is agreed as the exclusive place of jurisdiction for legal disputes. Changes and additions to contracts must be made in writing in order to be legally effective. The order processing takes place with the aid of automatic data processing. The customer gives its express consent to the processing of data that has been disclosed to us in the context of contractual relationships and that is necessary for processing of the order. Furthermore, the customer gives its express consent in accordance with Section 107 (1) of the Austrian Telecommunications Act (TKG) that we may transmit information and advertising material regarding our products to the customer electronically.

Pursuant to Section 28 of the Austrian Data Protection Act (DSG), the customer is entitled to object at any time to the use of its data, if such use would violate the customer's overriding legitimate interests that arise from its particular situation. Furthermore, in accordance with Section 107 (1) TKG, the customer is entitled to revoke its consent to the transmission of information and advertising at any time.

The customer undertakes to notify us immediately of any changes to its email address or mailing or street address. If the customer does not duly comply with this obligation, all declarations made by us are deemed to have been received by the customer when they are sent to the e-mail address or mailing or street address last made known to us.

The customer expressly waives the right to contest contracts on the basis of laesio enormis or mistake.

Should one or more provisions of these General Terms and Conditions of Delivery and Payment be or become ineffective, or should these contain a gap, the ineffective or incomplete provision shall be replaced or supplemented by an appropriate provision that largely corresponds to the economic purpose of the intended provision. The same applies to any gaps in the contract. The validity of the remaining provisions remains unaffected hereby.